



ISO 9001:2015 CERTIFICATED




Products Range





Table Of Contents


SCREW.....	04-07
BOLTS.....	08-09
EYE BOLTS.....	10
NUTS.....	11-12
WASHERS.....	13-14
ANCHORS.....	15-16
ROD HANGERS & THREADED RODS	17
HOOKS.....	18
NAILS & PINS.....	19
DRILL BITS.....	20-22
CABLE STAPLES.....	23
RIVETS AND RIVET NUTS.....	24-25
RUBBER PRODUCTS	26
NON STANDARD PRODUCTS.....	27-32
FASTENERS KITS.....	33-34
AVAILABLE PACKAGING	35
LOCKS.....	36-38


SCREWS


DRYWALL SCREWS				
HEAD TYPE	BUGLE	WAFER	PAN	PAN FRAMING
THREAD TYPE	FINE		COARSE	HIGH-LOW
DRIVE	PHILLIPS			
DIAMETER	M3.5(#6)-M4.8(#10)			
LENGTH	FROM 13MM(1/2") TO 254MM10"			
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT			

HEXAGON WASHER SELF DRILLING SCREWS		
HEAD TYPE	HEXAGON WASHER HEAD	
STANDARD	DIN 7504K	
DIAMETER	3.5-6.3	#6-1/4"
LENGTH	6-150	1/4"-6"
FINISH	YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


PHILLIPS FLAT HEAD SELF DRILLING SCREWS		
HEAD TYPE	FLAT HEAD	
STANDARD	DIN 7504P	
DRIVE	PHILLIPS	
DIAMETER	3.5-6.3	#6-1/4"
LENGTH	6-150	1/4"-6"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


PHILLIPS PAN HEAD SELF DRILLING SCREWS		
HEAD TYPE	PAN HEAD	
STANDARD	DIN 7504N	
DRIVE	PHILLIPS	
DIAMETER	2.9-6.3	#4-1/4"
LENGTH	4.5-150	1/4"-6"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


PHILLIPS WAFER HEAD SELF DRILLING SCREW		
HEAD TYPE	WAFER HEAD	
DRIVE	PHILLIPS	
DIAMETER	4.2	#8
LENGTH	13-75	1/2"-3"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


HEXAGON WASHER SELF TAPPING SCREWS		
HEAD TYPE	HEX WASHER	
STANDARD	DIN 6928	
DIAMETER	ST2.2, ST2.9, ST3.5, ST4.2, ST4.8, ST 5.5, ST6.3	#1-#14, 1/4"-1/2"
LENGTH	4.5-50mm	3/16"-2"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


SCREWS


PHILLIPS FLAT HEAD SELF TAPPING SCREWS		
HEAD TYPE	FLAT	
STANDARD	DIN 7982	
DIAMETER	ST2.2, ST2.9, ST3.5, ST4.2, ST4.8, ST 5.5, ST6.3	#1-#14, 1/4"-1/2"
LENGTH	4.5-50mm	3/16"-2"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	

PHILLIPS PAN HEAD SELF TAPPING SCREWS		
HEAD TYPE	PAN	
STANDARD	DIN 7981	
DIAMETER	ST2.2, ST2.9, ST3.5, ST4.2, ST4.8, ST 5.5, ST6.3	#1-#14, 1/4"-1/2"
LENGTH	4.5-50mm	3/16"-2"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


PHILLIPS OVAL HEAD SELF TAPPING SCREWS		
HEAD TYPE	OVAL HEAD	
STANDARD	DIN 7983	
DIAMETER	ST2.2, ST2.9, ST3.5, ST4.2, ST4.8, ST 5.5, ST6.3	#1-#14, 1/4"-1/2"
LENGTH	4.5-50mm	3/16"-2"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


PHILLIPS WAFER HEAD SELF TAPPING SCREWS		
HEAD TYPE	WAFER HEAD	
DRIVE	PHILLIPS	
DIAMETER	Φ3.5 (#6), Φ4.2 (#8), Φ4.8 (#10)	
LENGTH	13-75MM	
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


PHILLIPS FLAT HEAD MACHINE SCREWS		
HEAD TYPE	FLAT	
DRIVE	PHILLIPS	
STANDARD	DIN 965	ASME/ANSI B18.6.3
DIAMETER	M1.5-10	#6-5/16"
LENGTH	1.5-200	1/4"-8"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


PHILLIPS WAFER HEAD MACHINE SCREWS		
HEAD TYPE	WAFER HEAD	
DRIVE	PHILLIPS	
STANDARD	DIN 967	ASME/ANSI B18.6.3
DIAMETER	M1.6-10	#6-5/16"
LENGTH	1.5-200	1/4"-8"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


SCREWS


PHILLIPS PAN HEAD MACHINE SCREWS		
HEAD TYPE	PAN	
STANDARD	DIN 7985	ASME/ANSI B18.6.3
DIAMETER	M1.6-10	#4-1/2"
LENGTH	1.5-200	1/4"-8"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	

SLOT FLAT HEAD MACHINE SCREWS		
HEAD TYPE	PAN	
STANDARD	DIN 963	ASME/ANSI B18.6.3
DIAMETER	M1-20	#6-5/16"
LENGTH	1.5-200	1/4"-8"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


FRAMING SCREWS		
HEAD TYPE	PAN FRAMING HEAD	
DIAMETER	Φ3.5 (#6)/3.9	
LENGTH	9.5-11	
THREAD	TWIN FAST	
POINT	SHARP/DRILLING	
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


HEXAGON HEAD WOOD SCREWS		
STANDARD	DIN 571	ASME B18.2.1
DIAMETER	4.0-20MM	3/16"-3/4"
LENGTH	16-200MM	
HEAD TYPE	HEX HEAD	
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


CHIPBOARD SCREWS		
STANDARD	DIN 7505	
DIAMETER	2.5-6.0MM	
SCREW POINTS	SELF TAPPING SCREW	
LENGTH	8-200MM	
THREAD	COARSE/FINE THREAD	
HEAD TYPE	COUNTERSUNK/PAN/DOUBLE COUNTERSUNK/HALF COUNTERSUNK/ROUND WASHER HEAD	
FINISH	BLACK PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


CONSTRUCTION SCREWS		
DIAMETER	3.0-10MM	
SCREW POINT	TYPE-17 CUTTING POINT	
LENGTH	16-400MM	
THREAD FORM	KNURLING/UNKNURLING	
HEAD TYPE	COUNTERSUNK HEAD/ TRUSS MODIFIED HEAD	
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
MATERIAL	CARBON STEEL, STAINLESS STEEL	



SCREWS

FURNITURE SCREWS	
DIAMETER	6.3-7.5MM
LENGTH	20-70MM
HEAD TYPE	SCOKET COUNTERSUNK HEAD
FINISH	ZINC PLATED, YELLOW ZINC PLATED
MATERIAL	CARBON STEEL, STAINLESS STEEL


CONCRETE SCREWS		
DIAMETER	7.5MM	3/16"/1/4"
LENGTH	20-70 MM	1-1/4"-5"
THREAD FORM	HI-LO THREAD WITH CUTTING LINE	
HEAD TYPE	FLAT/HEX/ROUND	
FINISH	ZINC PLATED/YELLOW ZINC PLATED/RUSPERT	
MATERIAL	CARBON STEEL	


NAIL SCREWS	
DIAMETER	3.5-6.9MM
LENGTH	30-230MM
HEAD TYPE	COUNTERSUNK HEAD/COUNTERSUNK SOCKET HEAD
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT
MATERIAL	CARBON STEEL, STAINLESS STEEL


HANGER BOLTS	
DIAMETER	6.0-12MM
LENGTH	40-200 MM
THREAD FORM	ONE SIDE WITH MACHINE THREAD, THE OTHER SIDE WITH WOOD THREAD
FINISH	ZINC PLATED, YELLOW ZINC PLATED
MATERIAL	CARBON STEEL, STAINLESS STEEL


Options	
HEAD TYPES	
DRIVE TYPE	
THREAD TYPE	
POINT TYPE	
PLATING	PL: PLAIN, YZ: YELLOW ZINC, ZN: ZINC, KP: BLACK PHOSPHATED, BP: GREY PHOSPHATED, BZ: BLACK ZINC, BO: BLACK OXIDE, DC: DACROTIZED, RS: RUSPERT, XY: XYLAN


BOLTS


HEX BOLTS		
STANDARD	DIN 933	B18.2.1
DIAMETER	M1.5-M100	¼"-3"
LENGTH	5-1000MM	¾"-8"
THREAD FORM	STANDARD/FINE	
HEAD TYPE	HEX HEAD	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9	

HEXAGON SOCKET HEAD CAP SCREW		
STANDARD	DIN 912	
DIAMETER	M3-M100	
LENGTH	2-300MM	
THREAD FORM	STANDARD/FINE	
HEAD TYPE	HEXAGON SOCKET HEAD	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9	

HEX FLANGE BOLT		
STANDARD	DIN 6921	IFIC-28
DIAMETER	M3-M20	¼"-1-1/4"
LENGTH	10-200MM	½"-12"
THREAD FORM	STANDARD/FINE	
HEAD TYPE	HEX FLANGE HEAD	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9	


CARRIAGE BOLTS			
STANDARD	DIN 603	ASME B18.5	IFIC-40
DIAMETER	M5-M20	¼"-1"	¼"-1/4"
LENGTH	16-200MM	¼"-20"	¼"-20"
THREAD FORM	COARSE/FINE		
HEAD TYPE	MUSHROOM HEAD		
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET		
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL		
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9		2/5/8


SQUARE BOLTS		
STANDARD	ASME B18.21	
DIAMETER	¼"-1-1/2"	
LENGTH	1-1/4"-10"	
THREAD FORM	STANDARD/FINE	
HEAD TYPE	SQUARE HEAD	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	
GRADE	2/5/8	


FLAT COUNTERSUNK HEAD SQUARE NECK BOLT		
STANDARD	DIN 605	ASME B18.9
DIAMETER	M10-M22	5/16"-1"
LENGTH	25MM-120MM	
THREAD FORM	STANDARD/FINE	
HEAD TYPE	SQUARE HEAD	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	
GRADE	2/5/8	


BOLTS

U BOLT		
DIAMETER	6-36MM	¼"-1-1/2"
LENGTH	40-400MM	1-1/4"-21-11/16"
THREAD FORM	COARSE/FINE	
HEAD TYPE	HEX FLANGE HEAD	
FINISH	ZINC PLATED, YELLOW ZINC PLATED, HOT DIP GALVAIZING	
MATERIAL	CARBON STEEL, STAINLESS STEEL	
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9	


STOVE BOLTS		
DIAMETER	1/8"-3/8"	
LENGTH	3/8"-6"	
THREAD FORM	STANDARD/FINE	
HEAD TYPE	ROUND HEAD	FLAT HEAD
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9	


STRUCTURAL BOLTS			
DIAMETER	M16/M20/M22/M24/M30		
LENGTH	65-150MM		
THREAD FORM	STANDARD/FINE		
HEAD TYPE	HEX	ROUND	PAN FRAMING
FINISH	BLACK OXIDE		
MATERIAL	CARBON STEEL, STAINLESS STEEL		
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9		


TOGGLE BOLTS		
DIAMETER	1/8"-1/2"	
LENGTH	2"-6"	
THREAD SIZE	#6-1/2"	
HEAD TYPE	ROUND	TRUSS
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9	


L BOLTS	
THREAD SIZE	FROM 3/8" TO 1"
THREAD TYPE	MACHINE THREAD
OVERALL LENGTH	FROM 6" TO 36"
HOOK	FROM 1" TO 4"
THREAD LENGTH	FROM 2" TO 4"
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9

EYE BOLTS

SCREW EYE	
SHANK LENGTH	8-60MM
INSIDE EYE DIAMETER	3-25MM
THREAD LENGTH	5-32MM
SHANK DIAMETER	1.8-5.8MM
THREAD DIAMETER	2.3-5.8MM
TREATMENT	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT
MATERIAL	CARBON STEEL, STAINLESS STEEL, BRASS

EYE BOLTS		
THREAD SIZE	FROM 3/16" TO 7/16"	
THREAD TYPE	MACHINE THREAD	LAG THREAD
OVERALL LENGTH	FROM 2" TO 6"	
SHANK LENGTH	FROM 3/4" TO 7"	
THREAD LENGTH	FROM 1/2" TO 4"	
FINISH	BLACK/GREY PHOSPHATED, YELLOW/BLUE WHITE ZINC PLATED, NICKEL PLATED, DACROMET, RUSPERT AND ECT	
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9	


WELDED SCREW EYE	
THREAD DIAMETER	11.5MM
WORKING LENGTH	90-500MM
INNER EYE DIAMETER	23MM
THREAD LENGTH	65 ± 3MM
SHANK DIAMETER	12MM
MATERIAL	CARBON STEEL, STAINLESS STEEL

SPECIAL SCREW EYE FOR CLAMPS	
THREAD DIAMETER	M6/M8
LENGTH	17-33MM
THREAD LENGTH	15MM-30MM
INNER EYE DIAMETER	16-21MM
SHANK DIAMETER	5.2-7.0MM
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL


WELDED EYE HOOK	
THREAD DIAMETER	M10-M12
LENGTH	100-300MM
THREAD LENGTH	70MM-90MM
INNER EYE DIAMETER	23MM
SHANK DIAMETER	10-12MM
MATERIAL	CARBON STEEL, STAINLESS STEEL


NUTS


HEX NUTS		
STANDARD	DIN 934	ASME B18.2.2
DIAMETER	M3-M160	¼"-4"
GREAD	4/5/6/8/9/10/12	2/5/8
THREAD FORM	COARSE/FINE	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	

HEX FLANGE NUTS		
STANDARD	DIN 6923	ASME B18.16.4
DIAMETER	M5-M20	NO.6-3/4"
GREAD	4/5/6/8/9/10/12	2/5/8
THREAD FORM	COARSE/FINE	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	


SQUARE NUTS		
STANDARD	DIN 577	ASME B18.2.2
DIAMETER	M5-M20	NO.6-3/4"
GREAD	4/5/6/8/9/10/12	2/5/8
THREAD FORM	COARSE/FINE	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	


HEX NYLON INSERT LOCK NUTS			
STANDARD	DIN985	DIN982	ASME B18.16.6
DIAMETER	M3-M48	M3-M48	¼"-1 ½"
GREAD	4/5/6/8/9/10/12	4/5/6/8/9/10/12	2/5/8
THREAD FORM	COARSE/FINE		
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET		
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL		
NYLON COLOR	BLUE/WHITE/RED		

WING NUTS		
STANDARD	DIN315	
DIAMETER	M4-M24	
THREAD FORM	COARSE/FINE	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	
GRADE	4.8	

HEX COUPLING NUTS		
STANDARD	DIN 6344	ASME B18.2.2-13
DIAMETER	M6-M36	1/4"-1 1/2"
GREAD	4/5/6/8/9/10/12	2/5
THREAD FORM	COARSE/FINE	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	

NUTS

2H HEAVY DUTY HEX NUTS	
STANDARD	ASME18.2.2
DIAMETER	¼"-4"
THREAD FORM	COARSE/FINE
FINISH	ZINC PLATED, YELLOW ZINC PLATED, HOT DIP GALVAIZING
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9

HEX DOME CAP NUTS	
STANDARD	DIN 1587
DIAMETER	M4-M10
GREAD	4//8
THREAD FORM	COARSE/FINE
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL


TEE NUTS	
STANDARD	DIN1624
DIAMETER	M4/M5/M6/M8/M10
THREAD FORM	COARSE/FINE
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL


HEXAGON FLANGE NYLON LOCK NUTS		
STANDARD	DIN 6926	GB6183/ISO7043
DIAMETER	M4-M20	M5-M20
THICKNESS	5.7-24.8	6.52-24.8
THREAD FORM	COARSE/FINE	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL	


HEXAGON THIN NUTS				
STANDARD	GB6172/ ISO8675 /ISO4035	DIN439	DIN439	GB54
DIAMETER	M1.6-M64		M6-M52	M1.6- M3/M4- M30/M36 /M42/M4 8
THICKNESS	0.71-32	0.75-32	4.7-20	1-18.35
THREAD FORM	COARSE/FINE			
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET			
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL			

HEXAGON NUTS WITH FLANGE			
STANDARD	DIN 6923	SO4161/GB6177.1	
DIAMETER	M2.5-M20		
THICKNESS	3.3-20		
FLANGE DIAMETER	7.45-42.8		
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET		
MATERIAL	STEEL, STAINLESS STEEL, COPPER ALLOY, ALUMINIUM ALLOY, TITANIUM ALLOY, SPECIAL ALLOY, NONMETAL		


WASHERS


SAE FLAT WASHER	
BOLT SIZE	#6-1 1/2"
INNER DIAMETER	7/32-1 1/16"
OUTER DIAMETER	1/2"-2"
THICKNESS	3/64"-9/64"
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET
MATERIAL	STEEL, STAINLESS STEEL

USS FLAT WASHER	
BOLT SIZE	3/16"-3"
INNER DIAMETER	1/4"-3 1/8"
OUTER DIAMETER	9/16"-5 1/2"
THICKNESS	3/64"-9/32"
MATERIAL	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET
BOLT SIZE	STEEL, STAINLESS STEEL

STANDARD FLAT WASHER	
BOLT SIZE	1/2"-3"
INNER DIAMETER	9/16"-3 1/8"
OUTER DIAMETER	1 3/8"-5 1/2"
THICKNESS	7/64"-9/32"
MATERIAL	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET
BOLT SIZE	STEEL, STAINLESS STEEL


FENDER WASHER	
BOLT SIZE	3/16"-1/2"
INNER DIAMETER	7/32"-17/32"
OUTER DIAMETER	1"-2"
THICKNESS	1/16"
MATERIAL	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET
BOLT SIZE	STEEL, STAINLESS STEEL


SQUARE WASHER	
BOLT SIZE	M8-M55
INNER DIAMETER	9-56MM
OUTER DIAMETER	30-160MM
THICKNESS	3-10MM
MATERIAL	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET
BOLT SIZE	STEEL, STAINLESS STEEL

SPRING LOCK WASHER	
BOLT SIZE	M5-M30
INNER DIAMETER	5.1-30.5MM
OUTER DIAMETER	8.5-44.1MM
THICKNESS	1.4-6MM
MATERIAL	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET
BOLT SIZE	STEEL, STAINLESS STEEL

WASHERS

BELLEVILLE WASHERS		
BOLT SIZE	11/16"-2 9/16"	
INNER DIAMETER	0.688"-2.563"	
OUTER DIAMETER	2.375"-5.25"	
OVERALL HEIGHT	0.227"-0.51"	
THICKNESS	0.187"-0.394"	
FINISH	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
MATERIAL	STEEL, STAINLESS STEEL	


COUNTERSUNK FINISHING WASHER		
BOLT SIZE	#6-1/4"	
INNER DIAMETER	MIN	MAX
	0.17"-0.305"	0.2"-0.335"
OUTER DIAMETER	0.469"-0.781	
MATERIAL	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
BOLT SIZE	STEEL, STAINLESS STEEL	

SERRATED LOCK WASHER		
BOLT SIZE	M5-M12	
INNER DIAMETER	1.7-31MM	
OUTER DIAMETER	3.6-48MM	
THICKNESS	0.9-4.8MM	
MATERIAL	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
BOLT SIZE	STEEL, STAINLESS STEEL	

EPDM RUBBER WASHERS		
BOLT SIZE	#6-3/4"	
INNER DIAMETER	0.12"-0.74"	
OUTER DIAMETER	0.25"-1.5"	
THICKNESS	0.015-0.25"	
MATERIAL	PLAIN, BLACK, WHITE/YELLOW ZINC PLATED, MECHANICAL/HOT DIP GALVAIZING, DACROMET	
BOLT SIZE	STEEL, STAINLESS STEEL, RUBBER	


ANCHORS

WEDGE ANCHORS



DIAMETER	M6-M24
LENGTH	40-300MM
FINISH	ZINC PLATED/DACROMET PLEATED/YELLOW ZINC PLATED
MATERIAL	CARBON STEEL/STAINLESS STEEL
GRADE	4.8/6.8/8.8

SLEEVE ANCHORS




DIAMETER	M5-M16
LENGTH	40-300MM
FINISH	ZINC PLATED/DACROMET PLEATED/YELLOW ZINC PLATED
MATERIAL	CARBON STEEL/STAINLESS STEEL
GRADE	4.8/6.8/8.8

HOLLOW WALL ANCHORS



DIAMETER	M4-M46
LENGTH	32-52MM
FINISH	ZINC PLATED/DACROMET PLEATED/YELLOW ZINC PLATED
MATERIAL	CARBON STEEL/STAINLESS STEEL
GRADE	4.8/6.8/8.8

DROP IN ANCHORS



DIAMETER	M6-M20
LENGTH	25-60MM
FINISH	ZINC PLATED/DACROMET PLEATED/YELLOW ZINC PLATED
MATERIAL	CARBON STEEL/STAINLESS STEEL
GRADE	4.8/6.8/8.8

LEAD SCREW ANCHORS




DIAMETER	1"	
SCREW SIZE	10-14X1"	6-8X1"
FINISH	ZINC PLATED/DACROMET PLEATED/YELLOW ZINC PLATED	
MATERIAL	CARBON STEEL/STAINLESS STEEL	
GRADE	4.8/6.8/8.8	


WALLD OG ONE-PIECE SCREW ANCHORS





DIAMETER	1/4"	3/16"
LENGTH	1 1/4"	
HEAD TYPE	HEX	PAN
FINISH	ZINC PLATED/DACROMET PLEATED/YELLOW ZINC PLATED	
MATERIAL	CARBON STEEL/STAINLESS STEEL	
GRADE	4.8/6.8/8.8	


ANCHORS


CONICAL PLUGS ANCHORS	
DIAMETER	#6-#14
LENGTH	3/4"-2"
MATERIAL	PLASTIC
COLOR	RED, BLUE, GREEN, ECT

NYLON SELF-DRILLING ANCHORS		
INNER DIAMETER	3-3.5mm	3.5-4mm
OUTER DIAMETER	10-15MM	
LENGTH	25-45MM	
MATERIAL	NYLON	


ZAMAK EASY DRIVE ANCHORS			
DIAMETER	5/8"	3/8"	1/2"
LENGTH	1/2"-13	1/2"-13	1/2"-13
MATERIAL	ZINC ALLOY		

POWERS CALK-IN MACHINE ANCHORS					
	SIZE	1/4" - 20	3/8" - 16	1/2"-13	3/4"-10
	HOLE SIZE	1/2"	3/4"	7/8"	1 1/4"
	MATERIAL	LEAD ALLOY			

SPLIT DRIVE ANCHORS			
	ANCHOR SIZE		
	LENGTH		
	HEAD TYPE		
	EMBEDMENT DEPTH		
MATERIAL			

HAMMER DRIVE ANCHORS	
DIAMETER	3/16", 1/4"
LENGTH	7/8"-3"
HOLE SIZE	3/16", 1/4"
MATERIAL	CARBON STEEL/STAINLESS STEEL

HAMMER DRIVE PIN ANCHORS	
DIAMETER	3/16"-1/2"
LENGTH	1"-6 1/2"
MATERIAL	CARBON STEEL/STAINLESS STEEL

E-Z TOGGLE ANCHOR	 The image displays two types of fasteners: an E-Z Toggle Anchor and an E-Z Anchor Toggle Lock Screw. The toggle anchor is shown in a photograph and a side-view technical drawing. The side view indicates a total length of 2 1/8 inches, a hole diameter of 0.610 inches, a hole depth of 0.603 inches, and a base diameter of 0.405 inches. The top view shows a Phillips head with a diameter of 0.414 inches. The toggle lock screw is shown in a photograph and a side-view technical drawing. The side view indicates a total length of 2 1/8 inches, a hole diameter of 0.610 inches, a hole depth of 0.603 inches, and a base diameter of 0.405 inches. The top view shows a Phillips head with a diameter of 0.414 inches.
PAN COMBO SCREW SIZE	8x2 1/4"
ANCHOR LENGTH	2-1/2"
MATERIAL	CARBON STEEL/STAINLESS STEEL

ROD HANGERS & THREADED RODS


METAL ROD HANGER		
ROD SIZE	1/4"	3/8"
SCREW SHANK SIZE	1/4"-20	1/4"-20
SHANK LENGTH	1", 2"	1 1/4", 2"
POINT STYLE	#3	
SELF DRILLING RANGE	0.036" – 0.188"	
ORIENTATION	BOTTOM, SIDE	


WOOD ROD HANGERS			
ROD SIZE	1/4"	3/8"	1/2"
SCREW SHANK SIZE	1/4"	1/4"	3/8"
SHANK LENGTH	2"	2"	2-1/2"
POINT STYLE	TYPE17		
PRE-DRILL	1/8"		
ORIENTATION	BOTTOM, SIDE		


CONCRETE ROD HANGERS			
ROD SIZE	1/4"	3/8"	1/2"
SCREW SHANK SIZE	1/4"	1/4"	3/8"
SHANK LENGTH	1-1/4"	1-1/2"	2-3/4"
THREAD STYLE	ANSI Wedge-Bolt THREAD		
PRE-DRILL DIAMETER	1/4" ANSI, 3/8" ANSI		
ORIENTATION	BOTTOM, SIDE		


THREADED ROD		
THREAD TYPE	DIN	ANSI
ROD DIAMETER	M6-M12	6-32 TO 9/16"-12
LENGTH	20-200MM	20-250MM
TREATMENT	PLAIN, ZINC PLATED, - Hot Dip Galvanized	
MATERIAL	CARBON STEEL, STAINLESS STEEL	


HOOKS

C HOOK SCREWS	
SHANKE DIAMETER(D)	1.8-7.8MM
LENGTH(L)	15-200MM
OPENING(W)	4-30MM
THREAD LENGTH(L1)	5-58MM
THREAD DIAMETER(S)	2.3-7.8MM
F MAX	300-8000KG
MATERIAL	STEEL, STAINLESS STEEL, BRASS

L SQUARE HOOKS	
SHANKE DIAMETER(D)	2.3-5.2MM
LENGTH(L)	20-100MM
HEIGHT(H)	8-18MM
THREAD LENGTH(L1)	8-38MM
THREAD DIAMETER(S)	2.8-6.0MM
F MAX	750-2500KG
MATERIAL	STEEL, STAINLESS STEEL, BRASS

S HOOKS	
INNER WIDTH(W)	2.3-5.2MM
OVERALL LENGTH(L)	20-100MM
DIAMETER(D)	8-18MM
OPENING WIDTH(G)	2.3-7.6MM
F MAX	750-2500KG
MATERIAL	STEEL, STAINLESS STEEL, BRASS

S HOOKS ANSI	
INNER WIDTH(W)	1/4"-1/2"
OVERALL LENGTH(L)	3/4"-3 1/2"
DIAMETER(D)	.08"-.375"
OPENING WIDTH(G)	1/8"-1/2"
MATERIAL	STEEL, STAINLESS STEEL, BRASS


CUP SQUARE HOOKS	
SIZE	1/2"-2"
OVERALL LENGTH(L)	12.7-51MM
DIAMETER(D)	1.9-3.8MM
THREAD LENGTH(L1)	8-18MM
W	8-24MM
CUP DIAMETER(F)	4.5-8MM
CUP HEIGHT(H)	1 MM
THREAD DIAMETER(S)	2.3-5MM
MATERIAL	STEEL, STAINLESS STEEL, BRASS

NAILS AND PINS

.300 HEAD POWDER ACTUATED DRIVE PINS	
HEAD DIAMETER	7.6MM/.300"
SHANK DIAMETER	3.7MM/.145"
ACCESSORY	FLUTE
SHANK LENGTH	½"-3"
MATERIAL	STEEL, STAINLESS STEEL, BRASS

.300 HEAD POWDER ACTUATED DRIVE PINS - WITH WASHER	
HEAD DIAMETER	7.6MM/.300"
SHANK DIAMETER	3.7MM/.145"
ACCESSORY	FLUTE
SHANK LENGTH	½"-3"
MATERIAL	STEEL, STAINLESS STEEL, BRASS


.300 HEAD POWDER ACTUATED DRIVE PINS - WITH CEILING CLIP		
HEAD DIAMETER	7.6MM/.300"	
SHANK DIAMETER	3.7MM/.145"	
ANGLE	90 Degree	45 Degree
SHANK LENGTH	1 ¼"	
MATERIAL	STEEL, STAINLESS STEEL, BRASS	


HARDEND STEEL NAILS /MASONRY NAILS	
SHANK DIAMETER	1.5-4.2MM
SHANK LENGTH	15-125MM
POINT	DIAMOND
TREATMENT	BLACK, BRIGHT
SHANK TYPE	PLAIN, GROOVED

THREADED STUDS		
THREAD DIAMETER	M4-M8	¼", 3/8"
SHANK DIAMETER	3.5-4.5MM	3.7MM, 5.2MM
THREAD LENGTH	11-32MM/1/2"-1 1/4"	
SHANKE LENGTH	12-52MM	
MATERIAL	STEEL, STAINLESS STEEL, BRASS	


DRILL BITS

HSS STRAIGHT SHANK TWIST DRILL	
STANDARD	DIN388
DRILLING SIZE	0.2-20MM
OVERALL LENGTH	19-205MM
WORKING LENGTH	2.5-140MM
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

HSS STRAIGHT SHANK TWIST DRILL-JOBBER LENGTH	
STANDARD	JOBBER LENGTH
DRILLING SIZE	1/64"-1/2" 1#-80# A-Z
OVERALL LENGTH	3/4"-6" 3 7/8"-3/4" 3 7/8"-5 1/4"
WORKING LENGTH	3/16"-4 1/2" 2 5/8"-1/8" 2 5/8"-3 7/8"
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

HSS TWIST DRILL BITS ROLL-FORGED, BLACK	
STANDARD	DIN388 JOBBER LENGTH
DRILLING SIZE	1-13MM 1/16"-1/2"
OVERALL LENGTH	34-151MM 1 7/8"-6"
WORKING LENGTH	12-101MM 7/8"-4 1/2"
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

HSS STRAIGHT SHANK TWIST DRILL	
STANDARD	DIN 1897
DRILLING SIZE	1.00-20.00MM
OVERALL LENGTH	26-131MM
WORKING LENGTH	6-66MM
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

HSS STRAIGHT SHANK TWIST DRILL	
STANDARD	DIN 340
DRILLING SIZE	1.00-20.00MM
OVERALL LENGTH	56-254MM
WORKING LENGTH	33-166MM
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

HSS STRAIGHT SHANK TWIST DRILL	
STANDARD	DIN 340
DRILLING SIZE	1.00-20.00MM
OVERALL LENGTH	56-254MM
WORKING LENGTH	33-166MM
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

DRILL BITS

COMMANDER SDS-PLUS CARBIDE DRILL BIT	
DRILLING SIZE	5/32"-1"
OVERALL LENGTH	4-18"
HEAD TYPE	4-Cutter
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

COMMANDER SDS-PLUS CARBIDE DRILL BIT	
DRILLING SIZE	1/2"-1 1/4"
OVERALL LENGTH	13-21"
HEAD TYPE	Tri-Cutter, 4-Cutter, 6-Cutter
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

COMMANDER SDS-PLUS CARBIDE DRILL BIT	
DRILLING SIZE	3/8"-1"
OVERALL LENGTH	8-12"
HAMMER DRILL MODE TYPE	ROTARY ONLY
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

JOBBER DRILL BIT - GOLD		
SPLIT POINT	135°	
COAT	TITANIUM NITRIDE (TIN)	
DRILLING SIZE	1/16"-1/2"	#7-#36
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON- FERROUS METAL AND PLASTIC	


HSS AIRCRAFT DRILL BIT		
SPLIT POINT	135°	
COAT	BLACK OXIDE	
DRILLING SIZE	1/8"-1/2"	#7-#29
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON- FERROUS METAL AND PLASTIC	

TCT ANNULAR CUTTER BIT	
TEETH	TUNGSTEN CARBIDE TEETH
CUTTING DEPTH	2", 3" & 4"
DRILLING SIZE	7/16"-1 1/4"
SHANK TYPE	3/4" WELD-ON SHANK

HOLE SAW BI-METAL	
TEETH	4/6 POSITIVE TOOTH
SIZE	7/8"-4 1/2"
APPLICATIONS	IDEAL FOR PLUMBING, CONSTRUCTION, AIRCRAFT, ELECTRICAL, MAINTENANCE AND AUTOMOTIVE APPLICATIONS.

HSS PILOT BITS FOR HOLE SAW	
SIZE	1/4"
LENGTH	3 1/4"-4"
APPLICATIONS	IDEAL FOR PLUMBING, CONSTRUCTION, AIRCRAFT, ELECTRICAL, MAINTENANCE AND AUTOMOTIVE APPLICATIONS.

DRILL BITS

PHILLIPS INSERT BITS	
DRILLING SIZE	#1-#4
OVERALL LENGTH	1"
SHANK	¼", 5/16"
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

PHILLIPS POWER BITS		
DRILLING SIZE	#2	#3
OVERALL LENGTH	2-6"	2-6"
SHANK	¼"	
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC	

SQUARE DRIVE INSERT BITS	
POINT SIZE	#1, #2, 3#
OVERALL LENGTH	1"
SHANK	¼"
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

SQUARE DRIVE POWER BITS	
POINT SIZE	#1, #2
OVERALL LENGTH	2-6"
SHANK	¼"
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

TORX 6-LOBE INSERT BIT	
POINT SIZE	T15, T25
LENGTH	1"
SHANK	¼"
APPLICATIONS	FOR DRILLING IN STEEL, CAST STEEL, MALLEABLE IRON, SINTERED METAL, NON-FERROUS METAL AND PLASTIC

HANGER BOLT DRIVER	
HANGER BOLT DIAMETER	3/8"-16
LENGTH	1 ¾"

MAGNETIC NUT SETTERS	
SIZE	¼"-9/16"
LENGTH	1 ¾"-12"
SHANK	¼"
APPLICATIONS	IDEAL FOR PLUMBING, CONSTRUCTION, AIRCRAFT, ELECTRICAL, MAINTENANCE AND AUTOMOTIVE APPLICATIONS.

CABLE STAPLES

STEEL STAPLES	
CABLE SIZE	FROM 14-2 TO 4/0
WIDTH	FROM ½" TO 1-5/8"
LEG LENGTH	FROM 1" TO 2-1/8"
MATERIAL	STEEL

PLASTIC INSULATED STAPLES	
CABLE SIZE	FROM 14-2 TO 10-3
WIDTH	½" ¾"
COLOR	WHITE
MATERIAL	PLASTIC, STEEL

PLASTIC INSULATED STAPLES, ZINC	
CABLE SIZE	14-2 , 12-2
WIDTH	½"
COLOR	WHITE
CABLE STAKING	2/3/4 CABLES
MATERIAL	PLASTIC, STEEL

PLASTIC INSULATED SERVICE ENTRANCE STAPLES	
WIDTH	15/16", ¾"
HEIGHT	15/16", 11/16", 7/16"
COLOR	GRAY
APPLICATIONS	#2, #6 SERS
MATERIAL	PLASTIC, STEEL


PLASTIC STACKERS	
PLASTIC PART SIZE	83* 42MM
NAIL SIZE	2.96*53MM
COLOR	WHITE
APPLICATIONS	ELECTRIC, COMMERCIAL, INDUSTRIAL
MATERIAL	DURABLE NYLON CONSTRUCTION, STEEL

PLASTIC INSULATED STAPLES	
CABLE SIZE	FROM 14-2 TO 4/0
WIDTH	FROM ½" TO 1-5/8"
LEG LENGTH	FROM 1" TO 2-1/8"
MATERIAL	STEEL
CABLE SIZE	FROM 14-2 TO 4/0

CABLE STACKERS FERRING STRIP	
PLASTIC PART SIZE	97.8* 30.1*18.8MM
NAIL SIZE	2.18*26.5MM
COLOR	WHITE
APPLICATIONS	ELECTRIC, COMMERCIAL, INDUSTRIAL
MATERIAL	DURABLE NYLON CONSTRUCTION, STEEL


RIVETS AND RIVET NUTS

OPEN TYPE BLIND RIVETS




D(+0.08, -0.15MM)	3.2~6.4MM
L(+1, -0MM)	6~40MM
GRIP RANGE	1.5-3.5MM~30-35MM
K (MAX)	1.3~2.7MM
HEAD TYPE	DOME HEAD, SCK HEAD, LARGE HEAD
d1	5.8-6.7MM~11.6-13.4MM
P (MIN)	25MM~27MM
dm (MAX)	2.05MM~4.0MM
MATERIAL	STAINLESS STEEL, CARBON STEEL, ALUMINUM, COPPER

CLOSED END BLIND RIVETS




D(+0.08, -0.15MM)	3.0~6.4MM
L(+1, -0MM)	6~40MM
GRIP RANGE	0.5-2.0MM~12.5-17.5MM
K (MAX)	1.3~2.7MM
HEAD TYPE	DOME HEAD, SCK HEAD, LARGE HEAD
d1	5.8-6.7MM~11.6-13.4MM
P (MIN)	25MM~27MM
dm (MAX)	2.15MM~3.95MM
MATERIAL	STAINLESS STEEL, CARBON STEEL, ALUMINUM, COPPER

HIGH STRUCTURAL RIVETS (VEX SERIES TYPE A)




D(+0.08, -0.15MM)	3.2~4.8MM
L(+1, -0MM)	6.0~30.0MM
GRIP RANGE	1.0-3.5MM~20.0-25.0MM
K (MAX)	1.3~2.0MM
HEAD TYPE	DOME HEAD, SCK HEAD, LARGE HEAD
d1	5.8-6.7MM~8.3-10.1MM
P (MIN)	25MM~27MM
dm (MAX)	2.00MM~2.95MM
MATERIAL	STAINLESS STEEL, CARBON STEEL, ALUMINUM, COPPER

HIGH STRUCTURAL RIVETS (VEX SERIES TYPE B)




D(+0.08, -0.15MM)	3.2~4.8MM
L(+1, -0MM)	6.0~30.0MM
GRIP RANGE	1.0-3.5MM~20.0-25.0MM
K (MAX)	1.3~2.0MM
HEAD TYPE	DOME HEAD, SCK HEAD, LARGE HEAD
d1	5.8-6.7MM~8.3-10.1MM
P (MIN)	25MM~27MM
dm (MAX)	2.00MM~2.95MM
MATERIAL	STAINLESS STEEL, CARBON STEEL, ALUMINUM, COPPER

FLAT HEAD ROUND BODY PLAIN RIVET NUTS



SIZE	M3~M12
D(+0.07,-0.1)	4.9~15.9MM
T (GRIP RANGE)	0.5-1.5MM/1.5-2.5MM~1.0-4.0MM/4.0-6.5MM
A	4.7MM~16MM
HOLE SIZE(+0.1, -0)	5.0MM~16.0MM
B	7.2MM~22MM
K	0.8MM~2.0MM
L	8.5/9.5MM~25MM


FLAT HEAD ROUND BODY PLAIN RIVET NUTS CLOSED END



SIZE	M3~M10
D(+0.07,-0.1)	4.9~12.9MM
T (GRIP RANGE)	0.5-1.5MM/2.0-3.5MM~1.0-4.0MM
A	10.0MM~19.2MM
HOLE SIZE(+0.1, -0)	5.0MM~13.0MM
B	7.2MM~17.0MM
K	0.8MM~1.6MM
L	13.3MM~27.0MM


RIVETS AND RIVET NUTS

REDUCE HEAD ROUND BODY PLAIN RIVET NUTS




SIZE	M3~M10
D(+0.07,-0.1)	4.9~12.9MM
T (GRIP RANGE)	0.5-1.5MM/~0.5-4.0MM/3.0-5.5MM
A	6.2MM~12.5MM
HOLE SIZE(+0.1, -0)	5.0MM~13.0MM
B	6.0MM~14.10MM
K	0.5MM~0.7MM
L	9.0MM~21.0MM

REDUCE HEAD ROUND BODY PLAIN RIVET NUTS CLOSED END




SIZE	M4~M10
D(+0.07,-0.1)	5.9~12.9MM
T (GRIP RANGE)	0.5-2.0MM/2.0-3.5MM~1.0-3.0MM/3.0-5.0MM
A	11.0MM~18.2MM
HOLE SIZE(+0.1, -0)	6.0MM~13.0MM
B	7.0MM~14.1MM
K	0.5MM~0.7MM
L	15.0MM/16.0MM~24.5MM/26.0MM

FLAT KNURLED BODY RIVET NUTS




SIZE	M3~M12
D(+0.07,-0.1)	4.9~15.9MM
T (GRIP RANGE)	0.5-1.5MM/0.5-2.0MM~1.0-4.0MM/3.5-6.0MM
A	6.0MM~15.0/16.0MM
HOLE SIZE(+0.1, -0)	5.0MM~15.0MM
B	7.5MM~22.0MM
K	0.8MM~1.6MM
L	10.0MM~28.0MM

FLAT KNURLED BODY RIVET NUTS CLOSED END




SIZE	M4~M10
D(+0.07,-0.1)	5.9~12.9MM
T (GRIP RANGE)	0.5-2.0MM/2.0-4.0MM~1.0-4.0MM
A	11.3MM~19.2MM
HOLE SIZE(+0.1, -0)	6.0MM~13.0MM
B	9.0MM~17.0MM
K	0.8MM~1.6MM
L	16.0MM/18.0MM~27.0MM

REDUCE HEAD KNURLED BODY RIVET NUTS



SIZE	M3~M12
D(+0.07,-0.1)	4.9~15.9MM
T (GRIP RANGE)	0.5-2.0MM~1.0-4.0MM
A	6.2MM~16.2MM
HOLE SIZE(+0.1, -0)	5.0MM~16.0MM
B	6.0MM~17.6MM
K	0.6MM~0.75MM
L	9.0MM~24.2MM


REDUCE HEAD KNURLED BODY RIVET NUTS CLOSED END



SIZE	M4~M10
D(+0.07,-0.1)	5.9~12.9MM
T (GRIP RANGE)	0.5-2.0MM/2.0-3.5MM~1.0-3.0MM/3.0-5.0MM
A	11.0MM~18.2MM
HOLE SIZE(+0.1, -0)	6.0MM~13.0MM
B	7.0MM~14.0MM
K	0.5MM~0.7MM
L	15.0/16.5MM~24.5/26.0MM

RUBBER PRODUCTS

INSERT HOLDER						
LENGTH	38	28	25	28	28	28
WIDTH	12	12	12	12	12	12
HEIGHT	9	9	8	14	12	8
INNER ARC LENGTH	35	25	18	18	22	28
FEET HEIGHT	7	7	7	7	7	7
PITCH	18	18	18	18	18	18

RUBBER STRIPS FOR CAR		
WIDTH	0.79" OR CUSTOMIZED	
LENGTH	CUSTOMIZED	
COLOR	BLACK	
MATERIAL	RUBBER	

RUBBER WASHER		
SIZE	#6-1" OR CUSTOMIZED	M3-M20 OR CUSTOMIZED
ID	0.120"-0.990"	3.2MM-21MM
OD	0.250"-2"	7MM-37MM
THICKNESS	0.083"-0.103"	1.320MM-1.820M
MATERIAL	SILICONE RUBBER	

METAL-BONDED SEALING WASHERS		
SIZE	#6-1"	M3-M20
ID	0.150"-1.04"	3.2MM-21MM
OD	0.375"-2"	7MM-37MM
THICKNESS	0.086"-0.116"	1.320MM-1.820M
MATERIAL	EPDM/EVA	

SUNFLOWER THREAD MALE TUBE CONNECTING NUT	
SIZE	M6-M12
TUBE O.D.	19MM-69MM
APPLICATIONS	AS CONNECTOR FOR TWO TUBES / PIPES, OR EXTENDER FOR THREADED ACCESSORIES.
TREATMENT	ZINC PLATED
MATERIAL	CARBON STEEL, RUBBER

NBR INDUSTRIAL KNEELING MAT	
SIZE	30X30CM, 30X40CM, 30X60CM, 25X60CM, 20X60CM, CUSTOMIZED
THICKNESS	10MM, 15MM, 20MM, 25MM, 30MM, 40MM
APPLICATIONS	PROTECTING KNEE
COLOR	OPTIONAL
MATERIAL	NBR MAT


NON STANDARD PRODUCTS

HEAVY DUTY BOLT HOSE CLAMP	
LENGTH	6-12MM TO 289-311MM
BANDWIDTH	8-12MM
THICKNESS	0.6MM
TREATMENT	PLATING, SPRAYING, ELECTROPHORESIS, ANODIZING, PAINTING, POWDERING, THE HEAT DISPOSTING, BLACK OXIDE COATING, RUST PREVENTIVE OIL, PLASTIC, ETC
MATERIAL	STAINLESS STEEL, CARBON STEEL


TRANSPARENT PLASTIC MIRROR CLIP	
BOARD THICKNESS	3mm or 5/8" or CUSTOMIZE
Scope	GLASS SHELF AND WOODEN PLYWOOD
FINISH	TRANSPARENT
MATERIAL	PLASTIC / ACRYLIC

PLASTIC CAP FOR HEX HEAD SELF DRILLING SCREW	
SIZE	M4-M10
STANDARD	JIS, GB, DIN, ANSI, EN, ISO
HEAD TYPE FOR OPTIONAL	HEX HEAD
MATERIAL	PLASTIC


TRIMMING KNIFE BLADE	
DIMENSION	CUSTOMIZED
MATERIAL	HIGH CARBON STEEL
USAGE	HEAVY DUTY
APPLICATION	UTILITY CUTTER


WIRE FORMING BENDING SPRING	
TOLERANCE	$\pm 0.1 \sim 0.005\text{mm}$
MATERIALS	ALUMINUM, COPPER, BRASS, STAINLESS STEEL, CARBON STEEL, STEEL, IRON, ALLOY, ZINC, TITANIUM, ETC.
PROCESSING	SPRINGS PARTS
SURFACE TREATMENT	ANODIZING, BRUSHING, GALVANIZED, LASER ENGRAVING, SILK PRINTING, POLISHING, POWDER COATING, ETC.

LINOLEUM NAIL	
LENGTH	9.52-177.8MM
DIAMETER	0.89MM-6.05MM
TREATMENT	H.D.G, M.G, ZINC YELLOW, ZINC COPPER, E.G, PAINT BLACK, GREY PHOSPHATED, BLACK PHOSPHATED, POLISHED
SHANK TYPE	SMOOTH, SPIRAL, BARBED, RING
HEAD TYPE	FLAT ROUND HEAD
MATERIAL	Q195, Q235

COIL ROLL NAILS	
LENGTH	25MM TO 150MM
DIAMETER	2.5MM-5.2MM
SHANK TYPE	SMOOTH, SPIRAL, BARBED, RING
TREATMENT	ELECTRO GALVANIZED
MATERIAL	STAINLESS STEEL, CARBON STEEL
HEAD STYLE	FLAT, CHECKERED

COLLATED FRAMIN G NAILS	
LENGTH	50-90MM
DIAMETER	2.87MM-3.43MM
SHANK TYPE	SMOOTH, SPIRAL, BARBED, RING
TREATMENT	ELECTRO GALVANIZED
MATERIAL	STAINLESS STEEL, CARBON STEEL
HEAD STYLE	BOX, CASING, SIDING, TEXTURED


WINDOW FILM						
THICKNESS	2 MIL					
VLT(%)	5%	10%	20%	35%	57%	73%
IRR(%)	99%	99%	99%	99%	99%	99%
URR(%)	99%	99%	99%	99%	99%	99%
DURABILIT Y	10 YEARS	10 YEARS	10 YEARS	10 YEARS	10 YEARS	10 YEAR S
MATERIAL	PET	PET	PET	PET	PET	PET


THREADED LIFTING EYE NUT	 
SIZE	M3-M36
MATERIAL	304 /201 STAINLESS STEEL /CARBON STEEL
FINISHING	PLATING,SPRAYING,ELECTROPHORESIS ,ANODIZING ,PAINTING , POWDERING ,THE HEAT DISPOSTING ,BLACK OXIDE COATING ,RUST PREVENTIVE OIL,PLASTIC,ETC.
LENGTH	9.51-48MM


BAKED BLUE IRON PACKING STRAP	
WIDTH	2MM TO 300MM
HARDNESS	40-55HRC
TYPE	STRIP,COIL,SHEET
TENSILE STRENGTH	540-1575N/MM2
SURFACE	POLISHED
LENGTH	CUSTOMIZED
EDGE	SLIT, ROUND, SQUARE

PACKING BUCKLE	
WIDTH	16MM
THICKNESS	0.25-1.5MM
LENGTH	AS PER CUSTOMER’S REQUIREMENT
TREATMENT	GALVANIZED
APPLICATION	PACKING
MATERIAL	STEEL

MIRROR CORNER BRACKET	
SIZE	32*32MM
THICKNESS	5.5MM
HOLE SIZE	10MM
MATERIAL	STAINLESS STEEL, CARBON STEEL
FINISH	NICKEL PLATED

VINYL COATED CLAMP		
"L" REF	1.10"(28.0MM)-4.96"(126.0MM)	
"C" REF	0.71"(18.0MM)-4.41"(112MM)	
"A" $\pm 0.020(0.5)$	0.216"(6.0MM)/0.315"(8.0MM)	
"B" $\pm 0.012(\pm 0.3)$	0.118"(3.0MM)-0.177"(4.5MM)	
"W" REF	0.12"(3.0MM)-0.24(6.0MM)	

SPLIT PINS		
SIZE	M1.5-M7	
LENGTH	12-100MM	
APPLICATION	CARS, MOTORCYCLES, HARDWARE, MACHINERY, ROBOTS	
STANDARD	DIN,ANSI,JIS,ASTM,GB	
MATERIAL	CARBON STEEL/STAINLESS STEEL	

BOW TIE COTTER PIN		
WIDTH	1.38MM	
WIRE DIAMETER	0.72MM	
TYPE	PIN	
FINISH	ZINC PLATED	
MATERIAL	CARBON STEEL/STAINLESS STEEL	

TRILOBULAR SCREW CSK HEAD PHILLIP	
SIZE	M3-M6
LENGTH	6-30MM
PITCH	0.5-1.0MM
MATERIAL	STAINLESS STEEL, CARBON STEEL
FINISH	ZINC PLATED

HEXAGON GROUND WIRE SCREW GREEN ZP	
SIZE	M2-M12
LENGTH	4-30MM
PITCH	0.5-1.0MM
MATERIAL	STAINLESS STEEL, CARBON STEEL
FINISH	GREEN ZINC PLATED

HEX WASHER HEAD COMBO PHIL/SLOT GROUND THREAD CUTTING SCREW TYPE F	
SIZE	M3-M12
LENGTH	6-30MM
THREAD TYPE	CUTTING THREAD
TAIL TYPE	TYPE F
FINISH	GREEN ZINC PLATED

PIG TAIL SCREW	
SIZE	M6 - M10
LENGTH	10-120MM
TREATMENT	ZINC PLATED
MATERIAL	CARBON STEEL/STAINLESS STEEL
GRADE	3.6, 4.6, 4.8, 5.6, 5.8, 6.8, 8.8, 9.8, 10.9, 12.9

FDC01



FDC02



FDC03



FDC04



FDC05



FDC05-2



FDC06



FDC07



FDC08




FDF01



FDF02




FDF03




FDF04



FDF05



FDF06



NON-STANDARD PRODUCTS

FDF07



FDF08



FDF09



FDF10



FDF11



FDF12



FDF13



FDF14



FDH01



FDH02



FDH03



FDH04



FDH05



FDH06



FDH07



FDH08



NON-STANDARD PRODUCTS

FDH09



FDH10



FDH11



FDH12



FDH13



FDH14



FDH15



FDH16



FDH17



FDM01




FDM02



FDM03



FDM04




FDM05



FDM06



FDM07



FASTENERS KITS

WASHER KITS		
WASHERS TYPES	FENDER WASHERS	FLAT WASHERS
SIZE	#6, #8, #10, 1/4", 5/16", 3/8"	3/16" Dia.-1", 1-1/4"; 1/4" Dia.-1", 1-1/4"; 3/8" Dia.-1", 1-1/4"
QTY	100: #6, #8, #10, 75: 1/4", 35: 5/16", 30: 3/8"	30: 3/16" Dia.-1", 30: 1-1/4"; 30: 1/4" Dia.-1", 30: 1-1/4"; 30: 3/8" Dia.-1", 30: 1-1/4"
MATERIAL	ZINC COATED STEEL	

SCREW KITS				
SCREWS TYPES	MACHINE SCREWS	SELF TAPPING SCREWS	SELF DRILLING SCRES	DRYWALL SCREWS
SCREWS HEAD TYPES	ROUND HEAD	FLAT HEAD	TRUSS HEAD	HEX HEAD
LENGTH	FROM 1/2" TO 2"			
MATERIAL	ZINC COATED STEEL			

SELF-DRILLING ANCHOR KITS					
SCREWS TYPES	MACHINE SCREWS	SELF TAPPING SCREWS	SELF DRILLING SCRES	DRYWALL SCREWS	
SCREWS HEAD TYPES	ROUND HEAD	FLAT HEAD	TRUSS HEAD	HEX HEAD	SLOTTE D HEAD
SCREWS SIZES	FROM #6 TO #12				
SCREWS LENGTH	FROM 1" TO 2"				
ANCHOR TYPE	NYLON ANCHORS				

CONICAL PLUG ANCHOR KITS					
SCREWS TYPES	MACHINE SCREWS	SELF TAPPING SCREWS	SELF DRILLING SCRES	DRYWALL SCREWS	
SCREWS HEAD TYPES	ROUND HEAD	FLAT HEAD	TRUSS HEAD	HEX HEAD	SLOTTE D HEAD
SCREWS SIZES	FROM #6 TO #12				
SCREWS LENGTH	FROM 1" TO 2"				
ANCHOR TYPE	CONICAL PLUG ANCHORS				

BLACK PHOSPHATING DRYWALL SCREWS KITS	
SCREWS TYPES	BUGLE HEAD PHILLIPS COARSE THREAD DRYWALL SCREW
SCREWS SIZE AND QUANTITY	50 pcs: 6X1-1/4 75 pcs: 6X1 40 pcs: 6X1-5/8 30 pcs: 6X2 20 pcs: 8X2-1/2 20 pcs: 8X3
BOX TYPE	6 GRIDS PLASTIC BOX
MATERIAL	CARBON STEEL

ROUND COMBO M/S ASSORT KIT	
SCREWS TYPES	ROUND COMBO MACHINE SCREW
SCREWS SIZE AND QUANTITY	50 pcs: 1/2" 50 pcs: 3/4" 40 pcs: 1" 30 pcs: 1-1/4", 25 pcs: 1-1/2" 25 pcs: 2
BOX TYPE	6 GRIDS PLASTIC BOX
MATERIAL	CARBON STEEL

FASTENERS KITS

WAFER TEK ASSORT KIT	
SCREWS TYPES	WAFER HEAD TEK SCREWS
SCREWS SIZE AND QUANTITY	50 pcs: #8X 1/2", 40 pcs: #8X3/4", 35 pcs: #8X1", 25 pcs: #8X1-1/4 PHILLIPS HEAD TEK SCREW 100 pcs: #6X7/16 PHILLIPS HEAD POINTY TAIL SCREW 100 pcs: #6X7/16
BOX TYPE	6 GRIDS PLASTIC BOX
MATERIAL	CARBON STEEL

6-32 ROUND COMBO M/S ASSORT KIT	
SCREWS TYPES	6-32 ROUND COMBO MACHINE SCREW
SCREWS LENGTH AND QUANTITY	35 pcs: 1/2", 30 pcs: 3/4", 20 pcs: 1", 15 pcs: 1-1/4", 12 pcs: 1-1/2", 12 pcs: 2"
BOX TYPE	6 GRIDS PLASTIC BOX
MATERIAL	CARBON STEEL

8-32 ROUND COMBO M/S ASSORT KIT	
SCREWS TYPES	8-32 ROUND COMBO MACHINE SCREW
SCREWS LENGTH AND QUANTITY	75 pcs: 8-32X1/2", 75 pcs: 8-32X3/4", 75 pcs: 8-32X1", 50 pcs: 8-32X1-1/4", 40 pcs: 8-32X1-1/2", 30 pcs: 8-32X2"
BOX TYPE	6 GRIDS PLASTIC BOX
MATERIAL	CARBON STEEL

HEX HEAD TEK SCREW ASSORT KIT	
SCREWS TYPES	HEX HEAD SELF DRILL SCREW
SCREWS SIZE AND QUANTITY	75 pcs: #8X1/2 50 pcs: #8X3/4 40 pcs: #8X1 50 pcs: #10X1/2 35 pcs: #10X3/4 30 pcs: #10X1 1 pcs: MSH14&MSH516
BOX TYPE	6 GRIDS PLASTIC BOX
MATERIAL	CARBON STEEL

SWITCH PLATE SCREW KIT	
SCREWS TYPES	FLAT HEAD SLOTTED PLATE SCREW
SCREWS SIZE AND QUANTITY	100 PCS: 6-32X1/2 IVORY HEAD 100 PCS: 6-32X1/2 BROWN HEAD 100 PCS: 6-32X1/2 WHITE HEAD 50 PCS: 6-32X1 STAINLESS STEEL 50 PCS: 6-32X1 IVORY HEAD 50 PCS: 6-32X1 WHITE HEAD
BOX TYPE	6 GRIDS PLASTIC BOX
MATERIAL	CARBON STEEL

SCREW ANCHOR KIT			
SCREWS TYPES	PAN HEAD SQUARE DRIVE SCREW	HEX WASHER HEAD SCREW	PAN HEAD COMBO DRIVE SCREW
SCREWS SIZE AND QUANTITY	100 PCS: 10X1	100 PCS: 10X1	100 PCS: 10X1
ANCHOR COLOUR	BLUE/YELLOW/RED ETC.		
BOX TYPE	2 GRIDS PLASTIC BOX		
MATERIAL	CARBON STEEL		

AVAILABLE PACKAGINGS

JARS	
CAPACITY	4 OZ - 40 OZ
MATERIAL	PLASTIC
PACKING METHOD	JAR+INNER BOX+CARTON+PALLET
CUSTOMER LOGO	LABELING

COLOR BOXES	
SIZE	AS PER CLIENTS REQUIREMENT
MATERIAL	CORRUGATED PAPER
PACKING METHOD	COLOR BOX+CARTON+PALLET
CUSTOMER LOGO	LABELING OR PRINTING

CARTONS	
SIZE	AS PER CLIENTS REQUIREMENT
MATERIAL	CORRUGATED PAPER
PACKING METHOD	CARTON+PALLET
CUSTOMER LOGO	LABELING OR PRINTING

BARRELS	
CAPACITY	10-25 LITERS
MATERIAL	PLASTIC
PACKING METHOD	BARRELS+PALLET
CUSTOMER LOGO	LABELING

BLISTER	
SIZE	AS PER ITEM BE PACKED
MATERIAL	PET
PACKING METHOD	BLISTER+COLOR BOX+CARTON+PALLET
LOGO	PRINTING

PLASTIC COMPARTMENT BOX	
SIZE	AS PER CLIENTS REQUIREMENTS
MATERIAL	PLASTIC
PACKING METHOD	COMPARTMENT BOX + COLOR BOX+CARTON+PALLET
LOGO	LABELING OR PRINTING

PLASTIC BAGS	
SIZE	AS PER CLIENTS REQUIREMENTS
MATERIAL	PLASTIC
PACKING METHOD	PLASTIC BAGS+COLOR BOX+CARTON+PALLET
LOGO	LABELING

PLASTIC TUBES	
SIZE	AS PER CLIENTS REQUIREMENTS
MATERIAL	PLASTIC
PACKING METHOD	PLASTIC TUBES+CARTON+PALLET
LOGO	LABELING

LOCKS AND COMPERENTS


HASP LOCK	
Type	FURNITURE HARDWARE
LENGTH	63.5MM/75MM/102MM/114MM
WIDTH	32MM/41.5MM
FINISH	CHROME
KEYS	IRON KEYS
MATERIAL	STEEL

CARBON STEEL LOCK HASP	
LENGTH	156MM/196MM
WIDTH	46MM
TREATMENT	ZINC PLATED
MATERIAL	CARBON STEEL
USAGE	FURNITURE HARDWARE

STAINLESS STEEL LOCK HASP	
SIZE	42*45MM/50*62MM
TREATMENT	PLAIN
DIRECTION	LEFT/RIGHT
THICKNESS	2.5MM
SCREWS	4 STEEL SCREWS
MATERIAL	201 STAINLESS STEEL

L SHAPED LOCK	
SIZE	115 × 48mm
FINISH	CHROME
MATERIAL	ZINC PLATED STEEL
KEYS	IRON KEYS

T HANDLE LOCK	
SIZE	48*49.5MM
SQUARE BAR LENGTH	80MM
FINISH	CHROME
STRUCTURE	90 DEGREE ROTATION
MATERIAL	ZINC PLATED STEEL
KEYS	IRON KEYS


LATCH	
SIZE	99 × 45mm
THICKNESS	2.5MM
FINISH	CHROME/ZINC/GOLDEN/BRASS
MATERIAL	STEEL


LOCKS AND COMPERENTS


LOCKER LOCK	
SIZE	19*20MM
MATERIAL	ALUMINUM ALLOY/ ZINC ALLOY/ IRON
FINISH	ZINC PLATED
USAGE	FURNITURE HARDWARE

HOOK LOCK	
SIZE	18MM*16MM/18MM*20MM/18MM*25MM/15MM*30MM
MATERIAL	ALUMINUM ALLOY/ ZINC ALLOY/ IRON
TREATMENT	CHROME
KEY	IRON KEYS
USAGE	FURNITURE HARDWARE

CYLINDER RV LOCK	
TYPE	PADDLE LOCK
SIZE	89*27MM
CUT OUT	72MM
THICKNESS	2.5MM
FINISH	ZINC PLATED
MATERIAL	NYLON LOCK BODY, CARBON STEEL BOLTS

PASSWORD PAD LOCKS	
SIZE	59×21.5X12MM
FINISH	ZINC
MATERIAL	ZINC ALLOY+PLASTIC
KEYS	IRON KEYS

MAGNETIC CABINET DOOR CATCH	
SIZE	46.5*15MM、L=37.5MM
USAGE	CABINET DOOR MAGNETS
FUNCTION	FURNITURE
MATERIAL	STEEL, PLASTIC, MAGNET

TOWER BOLT	
SIZE	6 INCH~8 INCH
THICKNESS	1.0MM
FINISH	ZINC PLATED/BRASS PLATED/NICKLE PLATED/BLACK/PLASTIC DIPPING
MATERIAL	STEEL Q195

Alumnium Padlock



Combination Padlock



Disc Padlock



EZ Cylinder Lock



Laminated Padlock



Laminated Padlock A389



FLDC01



FLDC02



FLDC03



FLDP01



FLDP02



FLDP03



FLDP04



FLDP05



FSLR012





PROCUREMENT SERVICES FROM

B D F S

BuyDirectFromSuppliers.com

Manufactured in Mexico-China-Brazil-USA-Bahrain

Brent Gilbertson

Managing Partner/Founder

Mobile: 678-361-5559

Brent@BuyDirectFromSuppliers.com

