



Commercial Abrasives Catalog 2026

PROCUREMENT SERVICES FROM

B D F S


BuyDirectFromSuppliers.com

Manufactured in Mexico-China-Brazil-USA-Bahrain

Brent Gilbertson Mobile: 678-361-5559
Managing Partner/Founder Brent@BuyDirectFromSuppliers.com

DID YOU KNOW ...

MARKETS: Stainless steel fabrication (food industry, catering equipment), MRO (machining/metalworking, maintenance), aerospace (investment cast parts, airframes), energy (oil and gas pipelines, turbine refurbishment), metal fabrication.

MACHINES:  Used on portable file belt grinders and sanders both air and electric. Common machine manufacturers are Dynabrade, 3M, Chicago Pneumatic, Metabo, Makita among others.

TIERS: **GOOD** – Rapid Prep

APPLICATIONS: Designed for deburring, deflashing, blending and surface finishing of carbon steel, stainless steel, titanium and other exotic alloys and aluminum.

ALUMINUM OXIDE:

Refining and finishing all metals where most flexibility is needed – very flexible

APPLICATIONS	EXTRA COARSE	COARSE	MEDIUM	FINE	VERY FINE
Scale Removal	■				
Stock Removal		■			
Heavy Deburring		■			
Light Deburring			■		
Light Finishing			■		
Blending				■	
Finishing					■

COMPETITIVE CONVERSION GUIDE:

NORTON	XF Aluminum Oxide
3M	LS, SC-LS, DuraFlex
Bibielle	SCXF
SIA Fibril	6230
Standard	RC, FE

Continued on back.




Buy Direct From Suppliers
 Attn: Brent Gilbertson
 678-361-5559
 Brent@BuyDirectfromSuppliers.com

PROCUREMENT SERVICES FROM

B D F S
 BuyDirectFromSuppliers.com

FEATURED PRODUCTS:

XF Aluminum Oxide


	PART #	WIDTH	LENGTH
Extra Coarse			
	.25" x 18"EC	1/4"	18"
	.25" x 24"EC	1/4"	24"
	.50" x 12"EC	1/2"	12"
	.50" x 18"EC	1/2"	18"
	.50" x 24"EC	1/2"	24"
	.75" x 18"EC	3/4"	18"
	.75" x 20.5"EC	3/4"	20-1/2"
	1.0" x 18"EC	1"	18"
	1.0" x 21"EC	1"	21"
Coarse			
	.25" x 18"C	1/4"	18"
	.25" x 24"C	1/4"	24"
	.50" x 12"C	1/2"	12"
	.50" x 18"C	1/2"	18"
	.50" x 24"C	1/2"	24"
	.75" x 18"C	3/4"	18"
	.75" x 20.5"C	3/4"	20-1/2"
	1.0" x 18"C	1"	18"
	1.0" x 21"C	1"	21"
Medium			
	.25" x 18"M	1/4"	18"
	.25" x 24"M	1/4"	24"
	.50" x 12"M	1/2"	12"
	.50" x 18"M	1/2"	18"
	.50" x 24"M	1/2"	24"
	.75" x 18"M	3/4"	18"
	.75" x 20.5"M	3/4"	20-1/2"
	1.0" x 18"M	1"	18"
	1.0" x 21"M	1"	21"
Fine			
	.25" x 18"F	1/4"	18"
	.25" x 24"F	1/4"	24"
	.50" x 12"F	1/2"	12"
	.50" x 18"F	1/2"	18"
	.50" x 24"F	1/2"	24"
	.75" x 18"F	3/4"	18"
	.75" x 20.5"F	3/4"	20-1/2"
	1.0" x 18"F	1"	18"
	1.0" x 21"F	1"	21"
Very Fine			
	.25" x 18"VF	1/4"	18"
	.25" x 24"VF	1/4"	24"
	.50" x 12"VF	1/2"	12"
	.50" x 18"VF	1/2"	18"
	.50" x 24"VF	1/2"	24"
	.75" x 18"VF	3/4"	18"
	.75" x 20.5"VF	3/4"	20-1/2"
	1.0" x 18"VF	1"	18"
	1.0" x 21"VF	1"	21"

Buy Direct From Suppliers
 Attn: Brent Gilbertson
 678-361-5559
 Brent@BuyDirectfromSuppliers.com

Why Choose Us?

T29: Frequently-used

Best for stock removal
Used on contoured, edged and flat surfaces



15° -25°



T27: Occasionally needed

Best for finishing
Used primarily on flat surfaces



0° -15°



Zirconia Alumina Grits

self-sharpen to provide longer life



Aluminum Oxide Grits

dull out during operation



Type 29 Shape

Best for contouring and shaping surfaces
Capable of more aggressive grinding than Type 27

Used at a 15-25 angle




Type 27 Shape

Work best from a 0-15 angle on flatter surfaces
Better for weld removal, deburring, smoothing, blending



CONTENTS

- ▶ NON-WOVEN ABRASIVES ROLLS & PADS.....01
- ▶ SURFACE CONDITIONING ABRASIVES JUMBO ROLLS.....03
- ▶ SURFACE CONDITIONING ABRASIVES BELTS.....05
- ▶ STRIPPING DISCS.....08
- ▶ NON-WOVEN DERIVATIVE PRODUCTS.....14
 - Flap wheel with shaft.....14
 - Flap wheels.....16
 - Flap brush wheel.....17
 - Non-woven flap discs.....18
 - Quick change discs.....20
 - Nylon wheel.....23



Non-woven Abrasives Rolls and Pads

Industry scouring rolls and pads are based of nylon fibers, with professional resin bonded to substrate, the rich flexibility and whole 3D grinding system. Widely used in cleaning, polishing, burring, removing oxidation film and precise treatment of fine lines of metal, non-metal surface etc.

Suitable for dry (wet) grinding by machine or hand. Smooth and beautiful treated surface. Does not change the workpiece surface shape.



Non-woven Specifications

Item	Size (Meter/Roll)	Color	Abrasives	Grit	Application
8698	1.4 m x 58 m	Green	A/O	280#	Suitable for stainless steel, aluminum alloy, copper etc.
7447	1.2 m x 92 m	Maroon	A/O	240#	Suitable for stainless steel, wood, repairing.
7447C	1.2 m x 92 m	Brown	A/O	240#	Suitable for stainless steel, wood, repairing.
8447	1.2 m x 92 m	Brown	SIC	400#-500#	Suitable for stainless steel, mobile phone shell.
		Green		600#-800#	
		Grey		1000#-2000#	
7521	1.2 m x 92 m	Purple	A/O	320#	Suitable for stainless steel, wood etc.
7531	1.2 m x 92 m	Purple	A/O	320#	Suitable for stainless steel, wood etc.

Other sizes, colors and grits are available according to requirement.



Surface Conditioning Abrasives Jumbo Rolls

It is composed of nylon fibers and abrasives granules (A/O, SIC) on a tough backing fabric by special process. The particularly backing fabric has a high flexibility. It assures an excellent wearing resistance, long life, uniformity and repeatability of the degree of finish. It causes no overheating harm to the parts. It is particularly suited for high efficiency work manually or by automatic machines. Satin-finishing, deoxidizing, deburring and polishing of metals can be performed. It is suited to be converted into discs and belts.



Jumbo Rolls Specifications

•Plain Nylon Jumbo Rolls---for belts

Item	Size (Meter/Roll)	Color	Abrasives	Grit	Package
CT16001C	1.40m x 20 m	Brown	A/O	Coarse	1 Roll
CT16002M	1.40m x 20 m	Maroon	A/O	Medium	1 Roll
CT16003V	1.40m x 20 m	Blue	A/O	Very Fine	1 Roll
CT16004S	1.40m x 20 m	Grey	A/O	Super Fine	1 Roll

•Flax Nylon Jumbo Rolls---for discs

Item	Size (Meter/Roll)	Color	Abrasives	Grit	Package
CT18001C	1.40m x 20 m	Brown	A/O	Coarse	1 Roll
CT18002M	1.40m x 20 m	Maroon	A/O	Medium	1 Roll
CT18003V	1.40m x 20 m	Blue	A/O	Very Fine	1 Roll
CT18004S	1.40m x 20 m	Grey	A/O	Super Fine	1 Roll

Other sizes and grits are available according to requirement.

Surface Conditioning Abrasives Belts



Applicable to handheld and automatic grinding apparatus, with elasticity and small grind can be good to improve the grinding workpiece, and easy to replace. Compared with the traditional abrasives products, nylon abrasive belts have the following advantages: can control the minimum amount of grinding mill, grinding depth, antiblocking, the minimum of tolerance probability, new abrasives grain continuously exposed in the grinding process, and good effect.


Belts Specifications

Item	Size (mm)	Color	Abrasives	Grit	Package (PCS/CTN)
CT6610C	1/4" x 24" (6 x 610 mm)	Brown	A/O	Coarse	25
CT6610M		Maroon	A/O	Medium	25
CT6610V		Blue	A/O	Very Fine	25
CT6610S		Grey	SIC	Super Fine	25
CT10330C	2/5" x 13" (10 x 330 mm)	Brown	A/O	Coarse	25
CT10330M		Maroon	A/O	Medium	25
CT10330V		Blue	A/O	Very Fine	25
CT10330S		Grey	SIC	Super Fine	25
CT13457C	1 / 2 " x 18" (13 x 457mm)	Brown	A/O	Coarse	25
CT13457M		Maroon	A/O	Medium	25
CT13457V		Blue	A/O	Very Fine	25
CT13457S		Grey	SIC	Super Fine	25
CT13610C	1/2 " x 24" (13 x 610mm)	Brown	A/O	Coarse	25
CT13610M		Maroon	A/O	Medium	25
CT13610V		Blue	A/O	Very Fine	25
CT13610S		Grey	SIC	Super Fine	25
CT19457C	3/4 " x 18" (19 x 457mm)	Brown	A/O	Coarse	25
CT19457M		Maroon	A/O	Medium	25
CT19457V		Blue	A/O	Very Fine	25
CT19457S		Grey	SIC	Super Fine	25

Item	Size (mm)	Color	Abrasives	Grit	Package (PCS/CTN)
CT23001C	3/4 " x 20-1/2" (19 x 520mm)	Brown	A/O	Coarse	25
CT23002M		Maroon	A/O	Medium	25
CT23003V		Blue	A/O	Very Fine	25
CT23004S		Grey	SIC	Super Fine	25
CT30533C	1-1/5" x 21" (30 x 533 mm)	Brown	A/O	Coarse	25
CT30533M		Maroon	A/O	Medium	25
CT30533V		Blue	A/O	Very Fine	25
CT30533S		Grey	SIC	Super Fine	25
CT24001C	4" x 24" (100 x 610mm)	Brown	A/O	Coarse	25
CT24002M		Maroon	A/O	Medium	25
CT24003V		Blue	A/O	Very Fine	25
CT24004S		Grey	SIC	Super Fine	25
CT25001C	4" x 36" (100 x 914mm)	Brown	A/O	Coarse	25
CT25002M		Maroon	A/O	Medium	25
CT25003V		Blue	A/O	Very Fine	25
CT25004S		Grey	SIC	Super Fine	25
CT26001C	2 " x 100" (50 x 2540mm)	Brown	A/O	Coarse	10
CT26002M		Maroon	A/O	Medium	10
CT26003V		Blue	A/O	Very Fine	10
CT26004S		Grey	SIC	Super Fine	10

Other sizes and grits are available according to requirement.

Strip Discs



Base on high strength wear-resisting fiber, with special process, high elastic resin and emery organic combined together to form a kind of high strength, high wear-resisting, honeycomb, soft grinding wheel. No damage to working surface, smooth grinding, even process result, high wear-resisting, high water resistance, high plasticity, good softness. Suitable for all kinds of grinding shapes, no dirt jams the gap of polishing surface, increasing the surface adhesion of grinding. Controlled cutting, no hurt to grinding surface, rustless, no shedding, small grinding voice, less dust etc. Suitable for car manufacturing and maintenance, construction, light industry, ship manufacturing and repairing, machinery, furniture, decoration, municipal engineering, and repairing industry.

Strip Discs Specifications

•Cup Wheel

Item	Size (mm) (Dia. X inner x thickness)	Color	Abrasives	Grit
CT9016	90 x 16 x15 mm	Black / Blue / Purple	Silicon carbide	18# -- 240#
CT10016	100 x 16 x15 mm			
CT10022	100 x 22 x15 mm			
CT11522	115 x 22 x15 mm			
CT12522	125 x 22 x15 mm			
CT15022	150 x 22 x15 mm			
CT18022	180 x 22 x15 mm			

Other sizes and grits are available according to requirement.

Cup wheel provide a burr-free surface suitable for painting or coating, mainly used in automobile repair, concrete workpiece polishing. This product is a quick change attachment device that features metal to metal locking system for discs.




•Flat Wheel

Item	Size (mm) (Dia. X inner x thickness)	Color	Abrasives	Grit
CT508	50 x 8 x15 mm	Black / Blue / Purple	Silicon carbide	18# -- 240#
CT638	63 x 8 x15 mm			
CT758	75 x 8 x 15 mm			
CT1008	100 x 8 x15 mm			
CT12158	115 x 8 x15 mm			
CT11513	115 x 13 x15 mm			
CT1258	125 x 8 x15 mm			
CT12513	125 x 13 x15 mm			
CT15013	150 x 13 x15 mm			
CT15016	150 x 16 x15 mm			
CT18016	180 x 16 x15 mm			
CT18022	180 x 22 x15 mm			
CT20016	200 x 16 x15 mm			
CT20022	200 x 22 x15 mm			

Strip material is cut in the shape of a disc with a hole in the center to be fitted individually or in pairs on suitable fixing shafts.

It is more rigid, resistant when used on sharp angled or irregular surfaces and has a faster cut.



• Roller Wheel

The strip material is cut in the shape of a disc mounted on a pre-assembled shaft. They are particularly suitable for cleaning weld beads without removing any material and without weakening the work piece. These wheels on a pre-assembled shaft don't require any hub and are fitted directly onto suitable tool holders. It is used for mechanically cleaning of all types of welding, for rapidly removing scale and oxidation, for stain finishing small surfaces, for removing paints or other clogging materials such as salt, rust, grease, oil and protective waxes. Used for stainless steel, standard or alloyed steel, aluminum, titanium, non-ferrous materials and alloys, fiber glass, plastic or plastic reinforced by fiber glass, stone or wood.

Item	Size (mm) (Dia. X thickness x shaft dia.)	Color	Abrasives	Grit
CT50156	50 x 15 x 6 mm	Black/ Blue / Purple	Silicon carbide	18# -- 240#
CT50306	50 x 30 x 6 mm			
CT63156	63 x 15 x 6 mm			
CT63306	63x 30 x 6 mm			
CT75156	75 x 15 x 6 mm			
CT75306	75 x 30 x 6 mm			
CT100156	100 x 15 x 6 mm			
CT100306	100 x 30 x 6 mm			
CT125156	125 x 15 x 6 mm			
CT125306	125 x 30 x 6 mm			



•Velcro backing wheel / Clasp Wheel



Item	Size (mm) Dia. x Thickness	Color	Abrasives	Grit
CTV5015	50 x 15	Black/ Blue / Purple	Silicon carbide	18# -- 240#
CTV6315	63 x 15			
CTV7515	75 x 15			
CTV10015	100 x 15			
CTV11515	115 x 15			
CTV12515	125 x 15			
CTV15015	150 x 15			
CTV18015	180 x 15			

•Quick Change Wheel / Button Wheel



Item	Size (mm) Dia. x Thickness	Color	Abrasives	Grit
CTQ5015	50 x 15	Black/ Blue / Purple	Silicon carbide	18# -- 240#
CTQ7515	75 x 15			
CTQ10015	100 x 15			

•Strip flap wheel



Item	Size (mm) Dia. x Thickness	Color	Abrasives	Grit
CTF10050	100 x 50	Black/ Blue / Purple	Silicon carbide	18# -- 240#
CTF100100	100 x 100			

It is not regular size, all sizes are available according to customer's requirement.

NON-WOVEN DERIVATIVE PRODUCTS

- Mounted flap wheels (Flap wheels with shaft)



Formed by non-woven abrasive materials and emery cloth bounded to wheel core, the insertion design completely suitable for special surface treatment. Patches of interval design for protection of flap and super smooth operation. Can provide more fine surface and stronger force than ordinary grinding products. According to the different workpiece materials choose different scouring cloth, sandpaper and emery cloth, which make the same wear and tear in the process of grinding. No burn on workpiece surface in high-speed polishing devices. High-speed polishing, deburring, cleaning, excellent effect in surface decoration of metal materials.

Flap Wheel With Shaft Specifications

Item	Size (mm)	Abrasives	Grit	Material
CT3010	30 x 10 x 6 mm	Aluminum oxide / Silicon carbide	Coarse: P60 -- P80 Medium: P100 – P120 Fine: P150 – P180	Non-woven / Non-woven + sanding cloth
CT3020	30 x 20 x 6 mm			
CT3025	30 x 25 x 6 mm			
CT3030	30 x 30 x 6 mm			
CT4020	40 x 20 x 6 mm			
CT4025	40 x 25 x 6 mm			
CT4030	40 x 30 x 6 mm			
CT5020	50 x 20 x 6 mm			
CT5025	50 x 25 x 6 mm			
CT5030	50 x 30 x 6 mm			
CT5030	50 x 40 x 6 mm			
CT5050	50 x 50 x 6 mm			
CT6025	60 x 25 x 6 mm			
CT6030	60 x 30 x 6 mm			
CT6040	60 x 40 x 6 mm			
CT7625	76 x 25 x 6 mm			
CT7650	76 x 50 x 6 mm			
CT7660	76 x 60 x 6 mm			
CT8030	80 x 30 x 6 mm			
CT8040	80 x 40 x 6 mm			
CT8050	80 x 50 x 6 mm			
CT10050	100 x 50 mm			



Other sizes and grits are available according to requirement.

•Non-woven Flap wheels / Combi flap wheel

The high-density flap wheel has good flexibility, applicable to irregular surface treatment. Superior performance in fine sanding and wiredrawing of aluminum, copper, stainless steel, soft metal, deburring of metal parts and exquisite decoration of aluminum material etc.



Specifications

Item	Outer Dia. X Thickness	Inner Diameter	Abrasives	Color	Grit	Material
CT10050W	100 x 50 mm	18mm / 20mm / 25mm / 50mm / 76mm / 100mm	A/O, SIC	Red 7447 Maroon 7447C Green 8698	40# -- 600#	Non-woven / Non-woven + sanding cloth
CT15025W	150 x 25 mm					
CT15050W	150 x 50 mm					
CT20025W	200 x 25 mm					
CT20050W	200 x 50 mm					
CT25025W	250 x 25 mm					
CT25050W	250 x 50 mm					
CT30025W	300 x 25 mm					
CT30050W	300 x 50 mm					

Other sizes and grits are available according to requirement.

•Non-woven flap brush wheel

Used in portable polishing machine, aim to the surface or fitting treatment effect of stainless steel, aluminum, copper and other metal products, can produce various precision of different pattern, such as snow grain, wiredrawing grain, wavy lines. And fastly repair deep scratch. Special for processing irregular shape, don't burn workpiece surface, durable, high efficiency, self sharpness and high polished, strong cutting force, long life, gain clarity. Widely used in wiredrawing processing of stainless kitchenware, ovens, cistern, etc.



Specifications

Item	Size (mm)	Abrasives	Color	Grit	Material
	80 x 50 x 19 mm	A/O, SIC	Maroon / Brown / Green / Grey	60# -- 1200#	Non-woven / Non-woven + sanding cloth
CT10050	100 x 50 x 19 mm				
	100 x 100 x 19 mm				
	105 x 100 x 19 mm				
CT11050	110 x 50 x 19 mm				
	110 x 100 x 19 mm				
CT120100	120 x 100 x 19 mm				
	120 x 150 x 19 mm				

Other sizes and grits are available according to requirement.

•Non-woven flap discs



Non-woven Flap Disc can prevent excessive cutting and scratch the surface effectively anti-blocking, water resistant, oil resistant. It is widely used in cleaning, polishing, deburring on the surface of stainless steel, wood etc.



Specifications

Item	Size (mm)	Grit	Backing	Color
CT10016C	100*16mm	Coarse	T27/T29	Green, Maroon, Brown, Blue, Grey
CT10016M	100*16mm	Medium		
CT10016V	100*16mm	Very fine		
CT11522C	115*22mm	Coarse	T27/T29	Green, Maroon, Brown, Blue, Grey
CT11522M	115*22mm	Medium		
CT11522V	115*22mm	Very fine		
CT12522C	125*22mm	Coarse	T27/T29	Green, Maroon, Brown, Blue, Grey
CT12522M	125*22mm	Medium		
CT12522V	125*22mm	Very fine		
CT15022C	150*22mm	Coarse	T27/T29	Green, Maroon, Brown, Blue, Grey
CT15022M	150*22mm	Medium		
CT15022V	150*22mm	Very fine		
CT18022C	180*22mm	Coarse	T27/T29	Green, Maroon, Brown, Blue, Grey
CT18022M	180*22mm	Medium		
CT18022V	180*22mm	Very fine		
CT23022C	230*22mm	Coarse	T27/T29	Green, Maroon, Brown, Blue, Grey
CT23022M	230*22mm	Medium		
CT23022V	230*22mm	Very fine		

•Quick Change Discs

The discs can be rubbed in narrow parts of dot line, can reduce the grinding area, avoid remaining redundant grinding mark and reduce correcting, loading and unloading time. Especially suitable in portable polishing machine. Applicable to various metal castings, welding, burrs grinding and steel derusting, grinding, etc.



Specifications



Item	Size	Abrasives	Grit	Color
CT8001C	1" (25mm)	AO	Coarse	Brown
CT8001M		AO	Medium	Maroon
CT8001V		AO	Very Fine	Blue
CT8001S		SC	Super Fine	Grey
CT8002C	1-1/2" (38mm)	AO	Coarse	Brown
CT8002M		AO	Medium	Maroon
CT8002V		AO	Very Fine	Blue
CT8002S		SC	Super Fine	Grey
CT8003C	2" (50mm)	AO	Coarse	Brown
CT8003M		AO	Medium	Maroon
CT8003V		AO	Very Fine	Blue
CT8003S		SC	Super Fine	Grey
CT8004C	3" (75mm)	AO	Coarse	Brown
CT8004M		AO	Medium	Maroon
CT8004V		AO	Very Fine	Blue
CT8004S		SC	Super Fine	Grey
CT8005C	4" (100mm)	AO	Coarse	Brown
CT8005M		AO	Medium	Maroon
CT8005V		AO	Very Fine	Blue
CT8005S		SC	Super Fine	Grey

Item	Size	Abrasives	Grit	Color
CT8006C	4-1/2" (112.5mm)	AO	Coarse	Brown
CT8006M		AO	Medium	Maroon
CT8006V		AO	Very Fine	Blue
CT8006S		SC	Super Fine	Grey
CT8007C	5" (125mm)	AO	Coarse	Brown
CT8007M		AO	Medium	Maroon
CT8007V		AO	Very Fine	Blue
CT8007S		SC	Super Fine	Grey
CT8008C	6" (150mm)	AO	Coarse	Brown
CT8008M		AO	Medium	Maroon
CT8008V		AO	Very Fine	Blue
CT8008S		SC	Super Fine	Grey
CT8009C	8" (200mm)	AO	Coarse	Brown
CT8009M		AO	Medium	Maroon
CT8009V		AO	Very Fine	Blue
CT8009S		SC	Super Fine	Grey



NON-WOVEN NYLON WHEEL



•Unitized wheel

Unitized wheels are constructed by bonding and compressing layers of abrasive impregnated non-woven nylon together with an adhesive system. The material is pressed with heat to form a solid block from which wheels are cut.

Specifications

Item	Size (mm)	Abrasives	Density	Grit	Color
U1002519	100 x 25 x 19 mm	Aluminum oxide / Silicon carbide	2P – 12P	Coarse / Medium / Fine / Very Fine 46#-1500#	Grey / Red / White / Black / Maroon / Green
U1005019	100 x 50 x 19 mm				
U1502519	150 x 25 x 19 mm				
U1505019	150 x 50 x 19 mm				
U2002519	200 x 25 x 19 mm				
U2005019	200 x 50 x 19 mm				
U2002520	200 x 25 x 20 mm				
U2503025	250 x 30 x 25 mm				
U2505025	250 x 50 x 25 mm				
U3004032	300 x 40 x 32 mm				
U3005025	350 x 50 x 25 mm				



Other sizes are available according to customers' required.

•T27 Nylon Wheel with Nylon / Fiberglass / Metallic Backing

Manufactured from the highest quality unitized material. Unique design offers material removal while imparting a final finish. Used in conjunction with, and sometimes in lieu of a coated abrasive resin fiber disc or flap disc.



Item	Size (mm)	Abrasives	Density	Grit	Color
NW75C	75	Aluminum oxide / Silicon carbide	4P--18P	Coarse	Grey / Red / White
NW75M				Medium	
NW75F				Fine	
NW100C	100			Coarse	
NW100M				Medium	
NW100F				Fine	
NW115C	115			Coarse	
NW115M				Medium	
NW115F				Fine	
NW125C	125			Coarse	
NW125M				Medium	
NW125F				Fine	
NW150C	150			Coarse	
NW150M				Medium	
NW150F				Fine	
NW180C	180			Coarse	
NW180M				Medium	
NW180F				Fine	



•Convolute Wheel

Convolute wheels are constructed by wrapping non-woven nylon, impregnated throughout with abrasive grain, around a hard core. Each layer is bonded together with an adhesive to form a homogeneous wheel.


Item	Size (Outer Diameter x Thickness x Inner Diameter)		Density	Abrasives	Grit	Color
	mm	inch				
CW1501325	150 x 13 x 25	6" x 1/2" x 1"	2S--9S	Aluminum oxide Silicon carbide	46#---2000#	Maroon / Grey
CW1502525	150 x 25 x 25	6" x 1" x 1"				
CW1505025	150 x 50 x 25	6" x 2" x 1"				
CW1502550	150 x 25 x 50	6" x 1" x 2"				
CW1505050	150 x 50 x 50	6" x 2" x 2"				
CW2031376	203 x 13 x 76	8" x 1/2" x 3"				
CW2032576	203 x 25 x 76	8" x 1" x 3"				
CW2035076	203 x 50 x 76	8" x 2" x 3"				
CW2541376	254 x 13 x 76	10" x 1/2" x 3"				
CW2542576	254 x 25 x 76	10" x 1" x 3"				
CW2545076	254 x 50 x 76	10" x 2" x 3"				
CW30013125	300 x 13 x 125	12" x 1/2" x 5"				
CW30025125	300 x 25 x 125	12" x 1" x 5"				
CW30050125	300 x 50 x 125	12" x 2" x 5"				
CW35550203	355 x 50 x 203	14" x 2" x 8"				
CW35576203	355 x 76 x 203	14" x 3" x 8"				

Other sizes, grits, color and density are available according to customers' required




CARTRIDGE ROLLS

Straight Cartridge Rolls

Item No.	Size (Diameter x Length x Arbor Hole)		Grit	Material	Picture
	mm	inch			
CR5252	5 x 25 x 2 mm	3/16" x 1" x 3/32"	36#--320#	Aluminium Oxide / Zirconia	
CR6253	6 x 25 x 3 mm	1/4" x 1" x 1/8"			
CR6383	6 x 38 x 3 mm	1/4" x 1-1/2" x 1/8"			
CR6503	6 x 50 x 3 mm	1/4" x 2" x 1/8"			
CR8383	8 x 38 x 3 mm	5/16" x 1-1/2" x 1/8"			
CR95253	9.5 x 25 x 3 mm	3/8" x 1" x 1/8"			
CR95383	9.5 x 38 x 3 mm	3/8" x 1-1/2" x 1/8"			
CR95503	9.5 x 50 x 3 mm	3/8" x 2" x 1/8"			
CR13253	13 x 25 x 3 mm	1/2" x 1" x 1/8"			
CR13383	13 x 38 x 3 mm	1/2" x 1-1/2" x 1/8"			
CR13503	13 x 50 x 3 mm	1/2" x 2" x 1/8"			
CR13505	13 x 50 x 5 mm	1/2" x 2" x 3/16"			
CR16255	16 x 25 x 5 mm	5/8" x 1" x 3/16"			
CR16385	16 x 38 x 5 mm	5/8" x 1-1/2" x 3/16"			
CR16505	16 x 50 x 5 mm	5/8" x 2" x 3/16"			
CR16636	16 x 63 x 6 mm	5/8" x 2-1/2" x 1/4"			
CR19253	19 x 25 x 3 mm	3/4" x 1" x 1/8"			
CR19255	19 x 25 x 5 mm	3/4" x 1" x 3/16"			
CR19383	19 x 38 x 3 mm	3/4" x 1-1/2" x 1/8"			
CR19385	19 x 38 x 5 mm	3/4" x 1-1/2" x 3/16"			
CR19386	19 x 38 x 6 mm	3/4" x 1-1/2" x 1/4"			
CR19503	19 x 50 x 3 mm	3/4" x 2" x 1/8"			
CR19505	19 x 50 x 5 mm	3/4" x 2" x 3/16"			
CR19506	19 x 50 x 6 mm	3/4" x 2" x 1/4"			
CR25386	25 x 38 x 6 mm	1" x 1-1/2" x 1/4"			
CR25506	25 x 50 x 6 mm	1" x 2" x 1/4"			

Other sizes and grits are available according to customers' required

Tapered and Sidewall Cartridge Rolls

Item No.	Size (Diameter x Length x Arbor Hole)		Grit	Material	Picture
	mm	inch			
SCR95253	9.5 x 25 x 3 mm	3/8" x 1" x 1/8"	36#--320#	Aluminum oxide / Zirconia	
SCR95383	9.5 x 38 x 3 mm	3/8" x 1-1/2" x 1/8"			
SCR13253	13 x 25 x 3 mm	1/2" x 1" x 1/8"			
SCR13383	13 x 38 x 3 mm	1/2" x 1-1/2" x 1/8"			
SCR13503	13 x 50 x 3 mm	1/2" x 2" x 1/8"			
SCR16255	16 x 25 x 5 mm	5/8" x 1" x 3/16"			
SCR16506	16 x 50 x 6 mm	5/8" x 2" x 1/4"			
SCR19385	19 x 38 x 5 mm	3/4" x 1-1/2" x 3/16"			
SCR19505	19 x 50 x 5 mm	3/4" x 2" x 3/16"			
SCR25506	25 x 50 x 6 mm	1" x 2" x 1/4"			

Other sizes and grits are available according to customers' required

FLAP DISC


Brent Gilbertson

Mobile: 678-361-5559


Managing Partner/Founder

Brent@BuyDirectFromSuppliers.com

Aluminium oxide + fiberglass backing

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AG50036F	50*10mm	36	T27	Aluminum Oxide	
AG50040F		40			
AG50060F		60			
AG50080F		80			
AG50120F		120			
AG100036F	100*16mm	36	T27/T29		
AG100040F		40			
AG100060F		60			
AG100080F		80			
AG100120F		120			
AG115036F	115*22mm	36			
AG115040F		40			
AG115060F		60			
AG115080F		80			
AG115120F		120			
AG125036F	125*22mm	36			
AG125040F		40			
AG125060F		60			
AG125080F		80			
AG125120F		120			
AG150036F	150*22mm	36			
AG150040F		40			
AG150060F		60			
AG150080F		80			
AG180040F		180*22mm			
AG180060F	60				
AG180080F	80				
AG180120F	120				
AG230040F	230*22mm				
AG230060F		60			
AG230080F		80			
AG230120F		120			

Calcined aluminium oxide + fiberglass backing

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AX50036F	50*10mm	36	T27	Calcined aluminum oxide	
AX50040F		40			
AX50060F		60			
AX50080F		80			
AX50120F		120			
AX100040FA	100*16mm	40	T27 Backing: 75mm		
AX100060FA		60			
AX100080FA		80			
AX100040F	100*16mm	40	T27/T29		
AX100060F		60			
AX100080F		80			
AX100120F		120			
AX115040F		115*22mm			
AX115060F	60				
AX115080F	80				
AX115120F	120				
AX125040F	125*22mm				
AX125060F		60			
AX125080F		80			
AX125120F		120			
AX150040F		150*22mm			
AX150060F	60				
AX150080F	80				
AX150120F	120				
AX180040F	180*22mm				
AX180060F		60			
AX180080F		80			
AX180120F		120			
AX230040F		230*22mm			
AX230060F	60				
AX230080F	80				
AX230120F	120				


Zirconia + fiberglass backing

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture					
Z50040F	50*10mm	40	T27	Zirconia alumina						
Z50060F		60								
Z50080F		80								
Z50120F		120								
Z100040FA	100*16mm	40	T27 Backing: 75mm							
Z100060FA		60								
Z100080FA		80								
Z100036F	100*16mm	36	T27/T29							
Z100040F		40								
Z100060F		60								
Z100080F		80								
Z100120F		120								
Z115036F	115*22mm	36				T27/T29				
Z115040F		40								
Z115060F		60								
Z115080F		80								
Z115120F	120									
Z125036F	125*22mm	36					T27/T29			
Z125040F		40								
Z125060F		60								
Z125080F		80								
Z125120F	120									
Z150036F	150*22mm	36						T27/T29		
Z150040F		40								
Z150060F		60								
Z150080F		80								
Z150120F	120									
Z180036F	180*22mm	36							T27/T29	
Z180040F		40								
Z180060F		60								
Z180080F		80								
Z180120F	120									
Z230036F	230*22mm	36								T27/T29
Z230040F		40								
Z230060F		60								
Z230080F		80								
Z230120F	120									



Silicon carbide + fiberglass backing

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture					
C100036F	100*16mm	36	T27/T29	Silicon Carbide						
C100040F		40								
C100060F		60								
C100080F		80								
C100120F		120								
C115036F	115*22mm	36				T27/T29				
C115040F		40								
C115060F		60								
C115080F		80								
C115120F	120									
C125036F	125*22mm	36					T27/T29			
C125040F		40								
C125060F		60								
C125080F		80								
C125120F	120									
C150036F	150*22mm	36						T27/T29		
C150040F		40								
C150060F		60								
C150080F		80								
C150120F	120									
C180036F	180*22mm	36							T27/T29	
C180040F		40								
C180060F		60								
C180080F		80								
C180120F	120									
C230036F	230*22mm	36								T27/T29
C230040F		40								
C230060F		60								
C230080F		80								
C230120F	120									


Ceramic + fiberglass backing

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
C100040F	100*16mm	40	T27/T29	Ceramic	
C100060F		60			
C100080F		80			
C100120F		120			
C115040F	115*22mm	40			
C115060F		60			
C115080F		80			
C115120F		120			
C125040F	125*22mm	40			
C125060F		60			
C125080F		80			
C125120F		120			
C150040F	150*22mm	40			
C150060F		60			
C150080F		80			
C150120F		120			
C180040F	180*22mm	40			
C180060F		60			
C180080F		80			
C180120F		120			
C230040F	230*22mm	40			
C230060F		60			
C230080F		80			
C230120F		120			


Aluminum oxide / Zirconia / Silicon carbide + nylon backing

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AG100040PAB	100*16mm	40	T27 Backing: 75mm	Calcined aluminum oxide / Zirconia alumina	
AG100060PAB		60			
AG100080PAB		80			
AG100036PA	100*16mm	36	T27/T29	Calcined aluminum oxide / Aluminum oxide / Zirconia alumina / Silicon carbide	
AG100040PA		40			
AG100060PA		60			
AG100080PA		80			
AG100120PA	120				
AG115036PA	115*22mm	36			
AG115040PA		40			
AG115060PA		60			
AG115080PA		80			
AG115120PA	120				
AG125036PA	125*22mm	36			
AG125040PA		40			
AG125060PA		60			
AG125080PA		80			
AG125120PA	120				
AG150036PA	150*22mm	36			
AG150040PA		40			
AG150060PA		60			
AG150080PA		80			
AG150120PA	120				
AG180036PA	180*22mm	36			
AG180040PA		40			
AG180060PA		60			
AG180080PA		80			
AG180120PA	120				


Flap Disc--Dual flaps (Aluminum oxide / Zirconia / Silicon carbide + fiberglass backing)

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AG100040FD	100*16mm	40	T27/T29	Aluminum oxide / Zirconia / Silicon carbide	
AG100060FD		60			
AG100080FD		80			
AG100120FD		120			
AG115040FD	115*22mm	40			
AG115060FD		60			
AG115080FD		80			
AG115120FD		120			
AG125040FD	125*22mm	40			
AG125060FD		60			
AG125080FD		80			
AG125120FD		120			
AG150040FD	150*22mm	40			
AG150060FD		60			
AG150080FD		80			
AG150120FD		120			
AG180040FD	180*22mm	40			
AG180060FD		60			
AG180080FD		80			
AG180120FD		120			
AG230040FD	230*22mm	40			
AG230060FD		60			
AG230080FD		80			
AG230120FD		120			


Flap Disc--Dual flaps (Aluminum oxide / Zirconia / Silicon carbide + nylon backing)

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AG100040FD	100*16mm	40	T27/T29	Aluminum oxide / Zirconia alumina / Silicon carbide	
AG100060FD		60			
AG100080FD		80			
AG100120FD		120			
AG115040FD	115*22mm	40			
AG115060FD		60			
AG115080FD		80			
AG115120FD		120			
AG125040FD	125*22mm	40			
AG125060FD		60			
AG125080FD		80			
AG125120FD		120			
AG150040FD	150*22mm	40			
AG150060FD		60			
AG150080FD		80			
AG150120FD		120			
AG180040FD	180*22mm	40			
AG180060FD		60			
AG180080FD		80			
AG180120FD		120			
AG230040FD	230*22mm	40			
AG230060FD		60			
AG230080FD		80			
AG230120FD		120			


Flap disc with alloyed hub backing

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
ZK115040HUB	115*HUB	40	T27/T29	Zirconia alumina	
ZK115060HUB		60			
ZK115080HUB		80			
ZK115120HUB		120			
ZK125040HUB	125*HUB	40			
ZK125060HUB		60			
ZK125080HUB		80			
ZK125120HUB		120			
ZK150040HUB	150*HUB	40			
ZK150060HUB		60			
ZK150080HUB		80			
ZK150120HUB		120			
ZK180040HUB	180*HUB	40			
ZK180060HUB		60			
ZK180080HUB		80			
ZK180120HUB		120			


Flap disc with metallic flange backing

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AG100040M	100*16mm	40	T27	Aluminum oxide / Zirconia alumina / Silicon carbide	
AG100060M		60			
AG100080M		80			
AG100120M		120			


Radial flap disc

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AG100040R	100*16mm	40	/	Aluminum oxide / Zirconia alumina / Silicon carbide	
AG100060R		60			
AG100080R		80			
AG100120R		120			


Combi flap disc

Item No.	Dimensions (mm)	Sanding Cloth	Backing	Abrasive	Picture
CB10040	100*16mm	40	T27/T29	Abrasive cloth & Non-woven fabric	
CB10060		60			
CB10080		80			
CB100120		120			
CB115040	115*22mm	40			
CB115060		60			
CB115080		80			
CB115120		120			
CB125040	125*22mm	40			
CB125060		60			
CB125080		80			
CB125120		120			


Vertical flap disc

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AG100040V	100*16mm	40	/	Aluminum oxide	
AG100060V		60			
AG100080V		80			
AG100120V		120			




Diamond flap disc

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
AG100040L	100*16mm	40-400	T27/T29	Diamond	
AG115040L	115*22mm				
AG125040L	125*22mm				
AG150040L	150*22mm				
AG180040L	180*22mm				

Non-woven flap disc

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
N10016C	100*16mm	Coarse	T27/T29	non-woven abrasive cloth	
N10016M		Medium			
N10016V		Very fine			
N11522C	115*22mm	Coarse			
N11522M		Medium			
N11522V		Very fine			
N12522C	125*22mm	Coarse			
N12522M		Medium			
N12522V		Very fine			
N15022C	150*22mm	Coarse			
N15022M		Medium			
N15022V		Very fine			

Woolen flap disc

Item No.	Dimensions (mm)	Grit	Backing	Abrasive	Picture
W125D	125*22mm	/	T27/T29	Woolen	
W100F	100*16mm		T27		
W115F	115*22mm				
W125F	125*22mm				
W115U	115*22mm		T27		
W125U	125*22mm				

Any sizes are available according to customer's requirement.

FLAP WHEEL WITH SHAFT

Sanding Cloth Flap Wheel with Shaft

PROCUREMENT SERVICES FROM

B D F S

BuyDirectFromSuppliers.com


Manufactured in Mexico-China-Brazil-USA-Bahrain

Brent Gilbertson

Mobile: 678-361-5559

Managing Partner/Founder

Brent@BuyDirectFromSuppliers.com

Item No.	size (mm)	Grit	Material	Picture
A10103	10*10*3	80-320	Aluminum oxide sanding cloth	
A15153	15*15*3			
A20103	20*10*3			
A20153	20*15*3			
A20156	20*15*6			
A20206	20*20*6			
A20256	20*25*6			
A20306	20*30*6			
A25103	25*10*3	60-120		
A25153	25*15*3	60-320		
A25156	25*15*6	40-320		
A25256	25*25*6	40-320		
A3053	30*5*3			
A3056	30*5*6			
A30103	30*10*3			
A30106	30*10*6			
A30153	30*15*3	60-120		
A30156	30*15*6	40-320		
A30206	30*20*6			
A30256	30*25*6			
A30306	30*30*6	40-400		
A40106	40*10*6	40-320		
A40156	40*15*6			
A40206	40*20*6			
A40256	40*25*6			
A40306	40*30*6			
A40406	40*40*6			
A40506	40*50*6			
A50106	50*10*6			
A50156	50*15*6			
A50206	50*20*6			
A50256	50*25*6			
A50306	50*30*6			
A50406	50*40*6			
A50506	50*50*6			
A60106	60*10*6			
A60206	60*20*6			
A60256	60*25*6			
A60306	60*30*6	40-400		
A60406	60*40*6	40-320		
A60506	60*50*6			
A80206	80*20*6			
A80256	80*25*6			
A80306	80*30*6			
A80406	80*40*6			
A80506	80*50*6			


Any sizes are available according to customer's requirement.

NON-WOVEN FLAP WHEEL WITH SHAFT

Item No.	size (mm)	Grit	Material	Picture
N3025C	30*25*6	Coarse	Non-woven	
N3025M		Medium		
N3025V		Very fine		
N30230C	30*30*6	Coarse		
N3030M		Medium		
N3030V		Very fine		
N4020C	40*20*6	Coarse		
N4020M		Medium		
N4020V		Very fine		
N4030C	40*30*6	Coarse		
N4030M		Medium		
N4030V		Very fine		
N5020C	50*20*6	Coarse		
N5020M		Medium		
N5020V		Very fine		
N5025C	50*25*6	Coarse		
N5025M		Medium		
N5025V		Very fine		
N5030C	50*30*6	Coarse		
N5030M		Medium		
N5030V		Very fine		
N5040C	50*40*6	Coarse		
N5040M		Medium		
N5040V		Very fine		
N5050C	50*50*6	Coarse		
N5050M		Medium		
N5050V		Very fine		
N6025C	60*25*6	Coarse		
N6025M		Medium		
N6025V		Very fine		
N6030C	60*30*6	Coarse		
N6030M		Medium		
N6030V		Very fine		
N6040C	60*40*6	Coarse		
N6040M		Medium		
N6040V		Very fine		
N7545C	75*45*6	Coarse		
N7545M		Medium		
N7545V		Very fine		
N8030C	80*30*6	Coarse		
N8030M		Medium		
N8030V		Very fine		
N8040C	80*40*6	Coarse		
N8040M		Medium		
N8040V		Very fine		
N8050C	80*50*6	Coarse		
N8050M		Medium		
N8050V		Very fine		

Any sizes are available according to customer's requirement.


COMBI FLAP WHEEL WITH SHAFT

Item No.	size (mm)	Grit	Material	Picture
C3025C	30*25*6	Coarse	Non-woven + Sanding cloth	
C3025M		Medium		
C3025V		Very fine		
C3030C	30*30*6	Coarse		
C3030M		Medium		
C3030V		Very fine		
C4020C	40*20*6	Coarse		
C4020M		Medium		
C4020V		Very fine		
C4025C	40*25*6	Coarse		
C4025M		Medium		
C4025V		Very fine		
C4030C	40*30*6	Coarse		
C4030M		Medium		
C4030V		Very fine		
C5025C	50*25*6	Coarse		
C5025M		Medium		
C5025V		Very fine		
C5030C	50*30*6	Coarse		
C5030M		Medium		
C5030V		Very fine		
C5040C	50*40*6	Coarse		
C5040M		Medium		
C5040V		Very fine		
C5050C	50*50*6	Coarse		
C5050M		Medium		
C5050V		Very fine		
C6025C	60*25*6	Coarse		
C6025M		Medium		
C6025V		Very fine		
C6030C	60*30*6	Coarse		
C6030M		Medium		
C6030V		Very fine		
C7625C	76*25*6	Coarse		
C7625M		Medium		
C7625V		Very fine		
C7650C	76*50*6	Coarse		
C7650M		Medium		
C7650V		Very fine		
C7660C	76*60*6	Coarse		
C7660M		Medium		
C7660V		Very fine		
C8025C	80*25*6	Coarse		
C8025M		Medium		
C8025V		Very fine		
C8030C	80*30*6	Coarse		
C8030M		Medium		
C8030V		Very fine		
C10050C	100*50	Coarse		
C10050M		Medium		
C10050V		Very fine		

Any sizes are available according to customer's requirement.


Sanding Belts

Sanding Cloth Belt

Item No.	Length (mm)	Width (mm)	Grit	Material	Picture
305-3A/Z	305	3 / 6 / 13 / 40	24#--1000#	Aluminum oxide Zirconia Silicon carbide	
305-6A/Z/C	305	6			
305-13A/Z/C	305	13			
305-40A/Z/C	305	40			
400-60A/Z/C	400	60			
405-63A/Z/C	405	63			
408-65A/Z/C	408	65			
450-20A/Z/C	450	20			
450-30A/Z/C	450	30			
450-50A/Z/C	450	50			
451-13A/Z/C	451	13			
457-3A/Z/C	457	3			
457-6A/Z/C	457	6			
457-9A/Z/C	457	9			
457-13A/Z/C	457	13			
457-20A/Z/C	457	20			
457-75A/Z/C	457	75			
480-75A/Z/C	480	75			
508-75A/Z/C	508	75			
520-20A/Z/C	520	20			
520-30A/Z/C	520	30			
533-9A/Z/C	533	9			
533-13A/Z/C	533	13			
533-30A/Z/C	533	30			
533-75A/Z/C	533	75			
533-100A/Z/C	533	100			
552-100A/Z/C	552	100			
560-100A/Z/C	560	100			
575-75A/Z/C	575	75			
608-75A/Z/C	608	75			
610-3A/Z/C	610	3			
610-6A/Z/C	610	6			
610-9A/Z/C	610	9			
610-13A/Z/C	610	13			
610-100A/Z/C	610	100			
620-40A/Z/C	620	40			
620-100A/Z/C	620	100			
620-110A/Z/C	620	110			
750-200A/Z/C	750	200			
860-100A/Z/C	860	100			
900-100A/Z/C	900	100			
920-100A/Z/C	920	100			
1000-200A/Z/C	1000	200			
2000-75A/Z/C	2000	75			
2000-150A/Z/C	2000	150			

Other sizes and grits are available according to requirement.

Surface Conditioning Belts





Item No.	Size (Width x Length)		Abrasives	Grit / Color	Picture
	mm	inch			
NB6305C	6 x 305 mm	1/4" x 12"	Aluminum oxide	Coarse / Brown	
NB6305M				Medium / Red	
NB6305F				Fine / Blue	
NB6305V				Very Fine / Grey	
NB6457C	6 x 457 mm	1/4" x 18"		Coarse / Brown	
NB6457M				Medium / Red	
NB6457F				Fine / Blue	
NB6457V				Very Fine / Grey	
NB6610C	6 x 610 mm	1/4" x 24"		Coarse / Brown	
NB6610M				Medium / Red	
NB6610F				Fine / Blue	
NB6610V				Very Fine / Grey	
NB9533C	9 x 533 mm	3/8" x 21"		Coarse / Brown	
NB9533M				Medium / Red	
NB9533F				Fine / Blue	
NB9533V				Very Fine / Grey	
NB10330C	10 x 330 mm	2/5" x 13"		Coarse / Brown	
NB10330M				Medium / Red	
NB10330F				Fine / Blue	
NB10330V				Very Fine / Grey	
NB13305C	13 x 305 mm	1/2" x 12"	Coarse / Brown		
NB13305M			Medium / Red		
NB13305F			Fine / Blue		
NB13305V			Very Fine / Grey		
NB13457C	13 x 457 mm	1/2" x 18"	Coarse / Brown		
NB13457M			Medium / Red		
NB13457F			Fine / Blue		
NB13457V			Very Fine / Grey		
NB13520C	13 x 520 mm	1/2" x 20-1/2"	Coarse / Brown		
NB13520M			Medium / Red		
NB13520F			Fine / Blue		
NB13520V			Very Fine / Grey		
NB13533C	13 x 533 mm	1/2" x 21"	Coarse / Brown		
NB13533M			Medium / Red		
NB13533F			Fine / Blue		
NB13533V			Very Fine / Grey		
NB13610C	13 x 610 mm	1/2" x 24"	Coarse / Brown		
NB13610M			Medium / Red		
NB13610F			Fine / Blue		
NB13610V			Very Fine / Grey		
NB19457C	19 x 457 mm	3/4" x 18"	Coarse / Brown		
NB19457M			Medium / Red		
NB19457F			Fine / Blue		
NB19457V			Very Fine / Grey		
NB19520C	19 x 520 mm	3/4" x 20-1/2"	Coarse / Brown		
NB19520M			Medium / Red		
NB19520F			Fine / Blue		
NB19520V			Very Fine / Grey		

NB20815C	20 x 815 mm	4/5" x 32-3/5"	Aluminum oxide	Coarse / Brown
NB20815M				Medium / Red
NB20815F				Fine / Blue
NB20815V				Very Fine / Grey
NB30533C	30 x 533 mm	1-1/5" x 21"	Aluminum oxide	Coarse / Brown
NB30533M				Medium / Red
NB30533F				Fine / Blue
NB30533V				Very Fine / Grey
NB40618C	40 x 618 mm	1-3/5" x 24-1/3"	Aluminum oxide	Coarse / Brown
NB40618M				Medium / Red
NB40618F				Fine / Blue
NB40618V				Very Fine / Grey
NB502540C	50 x 2540 mm	2" x 100"	Aluminum oxide	Coarse / Brown
NB502540M				Medium / Red
NB502540F				Fine / Blue
NB502540V				Very Fine / Grey
NB752000C	75 x 2000 mm	3" x 80"	Aluminum oxide	Coarse / Brown
NB752000M				Medium / Red
NB752000F				Fine / Blue
NB752000V				Very Fine / Grey
NB100610C	100 x 610 mm	4" x 24"	Aluminum oxide	Coarse / Brown
NB100610M				Medium / Red
NB100610F				Fine / Blue
NB100610V				Very Fine / Grey
NB100914C	100 x 914 mm	4" x 36"	Aluminum oxide	Coarse / Brown
NB100914M				Medium / Red
NB100914F				Fine / Blue
NB100914V				Very Fine / Grey
NB1001000C	100 x 1000 mm	4" x 40"	Aluminum oxide	Coarse / Brown
NB1001000M				Medium / Red
NB1001000F				Fine / Blue
NB1001000V				Very Fine / Grey
NB1201500C	120 x 1500 mm	4-4/5" x 60"	Aluminum oxide	Coarse / Brown
NB1201500M				Medium / Red
NB1201500F				Fine / Blue
NB1201500V				Very Fine / Grey
NB1501750C	150 x 1750 mm	6" x 70"	Aluminum oxide	Coarse / Brown
NB1501750M				Medium / Red
NB1501750F				Fine / Blue
NB1501750V				Very Fine / Grey
NB1502000C	150 x 2000 mm	6" x 80"	Aluminum oxide	Coarse / Brown
NB1502000M				Medium / Red
NB1502000F				Fine / Blue
NB1502000V				Very Fine / Grey
NB3004000C	300 x 4000 mm	12" x 160"	Aluminum oxide	Coarse / Brown
NB3004000M				Medium / Red
NB3004000F				Fine / Blue
NB3004000V				Very Fine / Grey


Other sizes and grits are available according to requirement.

QUICK CHANGE DISC


(Aluminum oxide / Zirconia / Ceramic / Silicon carbide) Quick change disc

Item No.	Diameter (mm/inch)	Grit	Material	Color	Picture
QA25	25mm / 1"	36#-400#	Aluminum oxide	Maroon	
QA38	38mm / 1-1/2"				
QA50	50mm / 2"				
QA75	75mm / 3"				
QM25	25mm / 1"				
QM38	38mm / 1-1/2"				
QM50	50mm / 2"				
QM75	75mm / 3"				
QZ25	25mm / 1"		Zirconia	Blue	
QZ38	38mm / 1-1/2"				
QZ50	50mm / 2"				
QZ75	75mm / 3"				
QG25	25mm / 1"				
QG38	38mm / 1-1/2"				
QG50	50mm / 2"				
QG75	75mm / 3"				
QR25	25mm / 1"		Ceramic	Red	
QR38	38mm / 1-1/2"				
QR50	50mm / 2"				
QR75	75mm / 3"				
QB25	25mm / 1"	Silicon carbide	Black		
QB38	38mm / 1-1/2"				
QB50	50mm / 2"				
QB75	75mm / 3"				


Surface Conditioning Discs

Item No.	Diameter (mm/inch)	Grit	Material	Color	Picture
ZC25	25mm / 1"	Coarse	Non-woven	Brown	
ZM25		Medium			
ZF26		Fine			
ZV25		Very fine			
ZC38	38mm / 1-1/2"	Coarse		Red	
ZM38		Medium			
ZF38		Fine			
ZV38		Very fine			
ZC50	50mm / 2"	Coarse		Blue	
ZM50		Medium			
ZF50		Fine			
ZV50		Very fine			
ZC75	75mm / 3"	Coarse		Gray	
ZM75		Medium			
ZF75		Fine			
ZV75		Very fine			

Mini Flap Disc

Item No.	Diameter (mm/inch)	Grit	Material	Color	Picture
MFC50	50mm / 2"	40# -- 120#	Calcined Aluminum oxide	Dark Brown	
MFC75	75mm / 3"				
MFA50	50mm / 2"		Aluminum oxide	Maroon	
MFA75	75mm / 3"				
MFZ50	50mm / 2"		Zirconia	Blue	
MFZ75	75mm / 3"				
MFA50	50mm / 2"		Ceramic	Red	
MFA75	75mm / 3"				

Felt Woolen Roloc Disc




Item No.	Diameter (mm/inch)	Grit	Material	Picture
FWR50	50mm / 2"	/	Woolen	
FWR75	75mm / 3"			

SANDING DISC

Aluminum Oxide Velcro/PSA Disc




PROCUREMENT SERVICES FROM

BuyDirectFromSuppliers.com
 Manufactured in Mexico-China-Brazil-USA-Bahrain
Brent Gilbertson Mobile: 678-361-5559
 Managing Partner/Founder Brent@BuyDirectFromSuppliers.com

Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color	Picture
AC50R	Φ50 / 2"	0	24#--2000#	Aluminum oxide+C or E weight backing paper	Red	
AC75R	Φ75 / 3"	0				
AC100R	Φ100 / 4"	0				
AC115R	Φ115 / 4.5"	0/5/6/8				
AC125R	Φ125 / 5"	0/5/6/8/15				
AC150R	Φ150 / 6"	0/5/6/8/9/15/17				
AC180R	Φ180 / 7"	0/8				
AC200R	Φ200 / 8"	0/8				
AC230R	Φ230 / 9"	0				
AC250R	Φ250 / 10"	0				
AC305R	Φ305 / 12"	0				
AC381R	Φ381 / 15"	0				
AC400R	Φ400 / 15-3/4"	0				
AC430R	Φ430 / 17"	0				
AC500R	Φ500 / 19-7/10"	0				
AC600R	Φ600 / 23-3/5"	0				
AT70R	70mm	0	24#--2000#	Aluminum oxide+C or E weight backing paper	Red	
AT76R	76mm	0				
AT80R	80mm	0				
AT93R	93mm	6				
AT95R	95mm	6				
AT105R	105mm	6				
AT120R	120mm	6				
AR4060R	40*60mm	0	24#--2000#	Aluminum oxide+C or E weight backing paper	Red	
AR68205R	68*205mm	6				
AR70125R	70*125mm	0				
AR70420R	70*420mm	14				
AR75200R	75*200mm	11				
AR81133R	81*133mm	8				
AR81153R	81*153mm	8				
AR90165R	90*165mm	8				
AR93178R	93*178mm	0/8/10				
AR93186R	93*186mm	8				
AR110215R	110*215mm	8				
AR115230R	115*230mm	0/10				



Any sizes & holes are available according to customer's requirement.

White Aluminum Oxide Velcro/PSA Disc

Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color	Picture
AC50W	Φ50 / 2"	0	60#--600#	Aluminum oxide, semi-open coated+C or D weight backing paper	White	
AC75W	Φ75 / 3"	0				
AC100W	Φ100 / 4"	0				
AC115W	Φ115 / 4.5"	0/5/6/8				
AC125W	Φ125 / 5"	0/5/6/8/15				
AC150W	Φ150 / 6"	0/5/6/8/9/15/17				
AC180W	Φ180 / 7"	0/8				
AC200W	Φ200 / 8"	0/8				
AC230W	Φ230 / 9"	0				
AC250W	Φ250 / 10"	0				
AC305W	Φ305 / 12"	0				
AC381W	Φ381 / 15"	0				
AC400W	Φ400 / 15-3/4"	0				
AC430W	Φ430 / 17"	0				
AC500W	Φ500 / 19-7/10"	0				
AC600W	Φ600 / 23-3/5"	0				
AT70W	70mm	0	60#--600#	Aluminum oxide, semi-open coated+C or D weight backing paper	White	
AT76W	76mm	0				
AT80W	80mm	0				
AT93W	93mm	6				
AT95W	95mm	6				
AT105W	105mm	6				
AT120W	120mm	6				
AR4060W	40*60mm	0	60#--600#	Aluminum oxide, semi-open coated+C or D weight backing paper	White	
AR68205W	68*205mm	6				
AR70125W	70*125mm	0				
AR70420W	70*420mm	14				
AR75200W	75*200mm	11				
AR81133W	81*133mm	8				
AR81153W	81*153mm	8				
AR90165W	90*165mm	8				
AR93178W	93*178mm	0/8/10				
AR93186W	93*186mm	8				
AR110215W	110*215mm	8				
AR115230W	115*230mm	0/10				



Any sizes & holes are available according to customer's requirement.

Yellow Aluminum Oxide Velcro/PSA Disc

Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color	Picture
AC50G	Φ50 / 2"	0	40#--1500#	Aluminum oxide & zirconia+C latexed paper	Gold	
AC75G	Φ75 / 3"	0				
AC100G	Φ100 / 4"	0				
AC115G	Φ115 / 4.5"	0/5/6/8				
AC125G	Φ125 / 5"	0/5/6/8/15				
AC150G	Φ150 / 6"	0/5/6/8/9/15/17				
AC180G	Φ180 / 7"	0/8				
AC200G	Φ200 / 8"	0/8				
AC230G	Φ230 / 9"	0				
AC250G	Φ250 / 10"	0				
AC305G	Φ305 / 12"	0				
AC381G	Φ381 / 15"	0				
AC400G	Φ400 / 15-3/4"	0				
AC430G	Φ430 / 17"	0				
AC500G	Φ500 / 19-7/10"	0				
AC600G	Φ600 / 23-3/5"	0				
AT70G	70mm	0	40#--1500#	Aluminum oxide & zirconia+C latexed paper	Gold	
AT76G	76mm	0				
AT80G	80mm	0				
AT93G	93mm	6				
AT95G	95mm	6				
AT105G	105mm	6				
AT120G	120mm	6				
AR4060G	40*60mm	0	40#--1500#	Aluminum oxide & zirconia+C latexed paper	Gold	/
AR68205G	68*205mm	6				
AR70125G	70*125mm	0				
AR70420G	70*420mm	14				
AR75200G	75*200mm	11				
AR81133G	81*133mm	8				
AR81153G	81*153mm	8				
AR90165G	90*165mm	8				
AR93178G	93*178mm	0/8/10				
AR93186G	93*186mm	8				
AR110215G	110*215mm	8				
AR115230G	115*230mm	0/10				


Any sizes & holes are available according to customer's requirement.

Silicon Carbide Velcro/PSA Disc

Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color	Picture
AC50B	Φ50 / 2"	0	40#--1000#	Silicon carbide, semi-coated	Black	
AC75B	Φ75 / 3"	0				
AC100B	Φ100 / 4"	0				
AC115B	Φ115 / 4.5"	0/5/6/8				
AC125B	Φ125 / 5"	0/5/6/8/15				
AC150B	Φ150 / 6"	0/5/6/8/9/15/17				
AC180B	Φ180 / 7"	0/8				
AC200B	Φ200 / 8"	0/8				
AC230B	Φ230 / 9"	0				
AC250B	Φ250 / 10"	0				
AC305B	Φ305 / 12"	0				
AC381B	Φ381 / 15"	0				
AC400B	Φ400 / 15-3/4"	0				
AC430B	Φ430 / 17"	0				
AC500B	Φ500 / 19-7/10"	0				
AC600B	Φ600 / 23-3/5"	0				
AT70B	70mm	0	40#--1000#	Silicon carbide, semi-coated	Black	
AT76B	76mm	0				
AT80B	80mm	0				
AT93B	93mm	6				
AT95B	95mm	6				
AT105B	105mm	6				
AT120B	120mm	6				
AR4060B	40*60mm	0	40#--1000#	Silicon carbide, semi-coated	Black	/
AR68205B	68*205mm	6				
AR70125B	70*125mm	0				
AR70420B	70*420mm	14				
AR75200B	75*200mm	11				
AR81133B	81*133mm	8				
AR81153B	81*153mm	8				
AR90165B	90*165mm	8				
AR93178B	93*178mm	0/8/10				
AR931876B	93*186mm	8				
AR110215B	110*215mm	8				
AR115283B	115*230mm	0/10				



Any sizes,holes & material are available according to customer's requirement.

Aluminum Oxide PET Film Backing Disc

Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color	Picture
AC50P	Φ50 / 2"	0	40#--1500#	Aluminum oxide+PET	Green	
AC75P	Φ75 / 3"	0				
AC100P	Φ100 / 4"	0				
AC115P	Φ115 / 4.5"	0/5/6/8				
AC125P	Φ125 / 5"	0/5/6/8/15				
AC150P	Φ150 / 6"	0/5/6/8/9/15/17				
AC180P	Φ180 / 7"	0/8				
AC200P	Φ200 / 8"	0/8				
AC230P	Φ230 / 9"	0				
AC250P	Φ250 / 10"	0				
AC305P	Φ305 / 12"	0				
AC381P	Φ381 / 15"	0				
AC400P	Φ400 / 15-3/4"	0				
AC430P	Φ430 / 17"	0				
AC500P	Φ500 / 19-7/10"	0				
AC600P	Φ600 / 23-3/5"	0				
AT70P	70mm	0				
AT76P	76mm	0				
AT80P	80mm	0				
AT93P	93mm	6				
AT95P	95mm	6				
AT105P	105mm	6				
AT120P	120mm	6				
AR4060P	40*60mm	0	40#--1500#	Aluminum oxide+PET	Green	
AR68205P	68*205mm	6				
AR70125P	70*125mm	0				
AR70420P	70*420mm	14				
AR75200P	75*200mm	11				
AR81133P	81*133mm	8				
AR81153P	81*153mm	8				
AR90165P	90*165mm	8				
AR93178P	93*178mm	0/8/10				
AR93186P	93*186mm	8				
AR110215P	110*215mm	8				
AR115230P	115*230mm	0/10				


Any sizes & holes are available according to customer's requirement.

Mesh Sanding Disc

Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color	Picture
AC50M	Φ50 / 2"	0	80#--400#	Aluminum oxide	Red, Orange, Green, Yellow, Brown, Black	
AC75M	Φ75 / 3"					
AC100M	Φ100 / 4"					
AC115M	Φ115 / 4.5"					
AC125M	Φ125 / 5"					
AC150M	Φ150 / 6"					
AC180M	Φ180 / 7"					
AC200M	Φ200 / 8"					
AC230M	Φ230 / 9"					
AC250M	Φ250 / 10"					
AC305M	Φ305 / 12"					
AC381M	Φ381 / 15"					
AC400M	Φ400 / 15-3/4"					
AC430M	Φ430 / 17"					
AC500M	Φ500 / 19-7/10"					
AC600M	Φ600 / 23-3/5"					
AT70M	70mm	0	80#--400#	Aluminum oxide	Red, Orange, Green, Yellow, Brown, Black	
AT76M	76mm					
AT80M	80mm					
AT93M	93mm					
AT95M	95mm					
AT105M	105mm					
AT120M	120mm					
AR4060M	40*60mm	0	80#--400#	Aluminum oxide	Red, Orange, Green, Yellow, Brown, Black	
AR68205M	68*205mm					
AR70125M	70*125mm					
AR70420M	70*420mm					
AR75200M	75*200mm					
AR81133M	81*133mm					
AR81153M	81*153mm					
AR90165M	90*165mm					
AR93178M	93*178mm					
AR93186M	93*186mm					
AR110215M	110*215mm					
AR115230M	115*230mm					

Any sizes & holes are available according to customer's requirement.


Special-shaped Velcro/PSA Disc

Item No.	Diameter(mm / inch)	Hole	Grit	Material	Color	Picture
AS12570	125*70mm	6	24#--2000#	Aluminum oxide	Red / Gold / White / Black	
AS150102	150*102mm	7				
AS173100	173*100mm	8				
AS185110	185*110mm	8				
AS9550	95*50mm	0				
AS10065	100*65mm	0				
AS10060	100*60mm	0				


Any sizes & holes are available according to customer's requirement.

STRIP Disc


Cup Wheel

Item No.	Diameter (mm)	Thickness (mm)	Inner Diameter (mm)	Grit	Material	Color	Picture
CW9016	90	15	16	46#	Silicon Carbide + Fiberglass backing	Black / Blue / Purple	
CW10016	100		16				
CW10022	100		22				
CW11522	115		22				
CW12522	125		22				
CW15022	150		22				
CW18022	180		22				


Flat Wheel

Item No.	Diameter (mm)	Thickness (mm)	Inner Diameter (mm)	Grit	Material	Color	Picture
FW508	50	15	8	46#	Silicon Carbide	Black / Blue / Purple	
FW638	63		8				
FW758	75		8				
FW1008	100		8				
FW10013	100		13				
FW1158	115		8				
FW11513	115		13				
FW1258	125		8				
FW12513	125		13				
FW15013	150		13				
FW15016	150		16				
FW18016	180		16				
FW18022	180		22				
FW20016	200		16				
FW20022	200		22				


Roller Wheel

Item No.	Diameter (mm)	Thickness (mm)	Shaft Diameter (mm)	Grit	Material	Color	Picture
RW506	50	15/30	φ6	46#	Silicon Carbide	Black / Blue / Purple	
RW636	63	15/30	φ6				
RW756	75	15/30	φ6				
RW1006	100	15/30	φ6				
RW1256	125	15/30	φ6				


Velcro backing wheel / Clasp Wheel

Item No.	Diameter (mm)	Thickness (mm)	Grit	Material	Color	Picture
CW50	50	15	46#	Silicon Carbide	Black / Blue / Purple	
CW63	63	15				
CW75	75	15				
CW100	100	15				
CW115	115	15				
CW125	125	15				
CW150	150	15				
CW180	180	15				

Quick Change Wheel / Button Wheel

Item No.	Diameter (mm)	Thickness (mm)	Grit	Material	Color	Picture
BW50	50	15	46#	Silicon Carbide	Black / Blue / Purple	
BW75	75	15				
BW100	100	15				

Strip Brush Wheel

Item No.	Diameter (mm)	Thickness (mm)	Grit	Material	Color	Picture
SF10050	100	50	46#	Silicon Carbide	Black	
SF100100	100	100				
SF115100	115	100				
SF120100	120	100				

It is not regular size, all sizes are available according to customer's requirement.